




02>

DETAILS THAT MAKE A DIFFERENCE fringe, mesh, cables, ribs


































ROSY OUTLOOK









Opposite: Perfect partners in a muted shade—a square-neck tank, a V-neck cardigan—charm with allover cables. Knit in touchable "Wool Cotton" from Debbie Bliss/KFI, Inc., both pieces are stylishly finished with a narrow crocheted edging.

This page, top: This loose litting hip-length jacket is just the ticket for a lovely, less structured look. Stitched in a textural yarn, Skacel Collection's Riviera Solid," the relaxed silhouette is accented with deep ribs and petal-colored buttons.

This page, right: Long and lean, a selfed jacket is the most versatile of eardrobe pieces. An allover traveling the pairs with garter stitch; the conounced V at the front makes it an earl layering piece. Knit in "Classic erino Wool" from Patons.










































- Special

GS 1888 1888 []

Sized for Small (Medium, Large, X-Large, XX-Large). Shown in size Large on page 26.



MATERIALS

Mia by Goddess Yarns, 1%oz/50g balls, each approx 81yd/74m (cotton/wool)

- 13 (14, 15, 16, 17) balls in #1390 blue
- One pair each sizes 6 and 8 (4 and 5mm) needles OR SIZE TO OBTAIN GAUGE
- Ten 1/8"/15mm buttons
- 63 (69, 71, 77, 81) Thai Sterling beads #TS02 (Kits for yarn, including beads are available at www.handworksgallery.com)

FINISHED MEASUREMENTS

- Bust (buttoned) 37 (41, 45, 48½, 53)"/94 (104, 114, 123, 134.5)em
- Length 29½ (30, 30½, 31, 31½)"/75 (76, 77.5, 78.5, 80)cm
- Upper arm 17 (17, 18, 18, 19)"/43 (43, 45.5, 45.5, 48)cm

GAUGE

18 sts and 24 rows to 4"/10cm over St st using larger needles.

TAKE TIME TO CHECK YOUR GAUGE.

SEED STITCH

Row 1 *K1, p1; rep from * to end. Row 2 K the purl sts and p the knit sts. Rep row 2 for seed st,

BACK

Thread 19 (21, 23, 25, 27) beads onto yarn. With smaller needles, cast on 83 (93, 101, 109, 119) sts. Work in garter st for 4 rows. *Next row (WS) K3 (garter st edge), p to last 3 sts, k3 (garter st edge). Next (beading) row (RS) K5 (6, 6, 6, 7), place bead (bring yarn forward, sl bead to front of work. SI next st purlwise securing bead in front of work, bring yarn to back), [k7, place bead] 9 (10, 11, 12, 13) times, k5 (6, 6, 6, 7). Working garter st over first and last 3 sts, work in St st for 2 rows. K 3 rows over all sts. Keeping first and last 3 sts in garter st, work rem sts in seed st for 3 rows. K 3 rows over all sts. Next (beading) row (RS) K9 (10, 10, 10, 11), place bead, [k7, place bead] 8 (9, 10, 11, 12) times, k9 (10, 10, 10, 11). Working garter st over first and last 3 sts, work in St st for 2 rows. K 2 rows over all sts. Change to larger needles. Cont to work first and last 3 sts in garter st and rem sts in St st until piece measures 3"/20.5cm from beg. Work in St st over all sts until piece measures 19"/48cm from beg.

Armhole shaping

Bind off 4 (4, 3, 5, 5) sts at beg of next 2 (2, 4, 4, 4) rows. Next (dec) row (RS) K3, k2tog, work to last 5 sts, k2tog tbl, k3. Rep dec row every other row 2 (5, 5, 5, 7) times more—69 (73, 77, 77, 83) sts. Work even until armhole measures 9 (9½, 10, 10½, 11)"/23 (24, 25.5, 26.5, 28)em.

Shoulder and neck shaping

Bind off 5 (5, 6, 6, 6) sts at beg of next 4 (4, 4, 4, 2) rows, 5 (6, 6, 6, 7) sts at beg of next 4 (4, 4, 4, 4, 6) rows, AT SAME TIME, after 4 rows of

shoulder shaping have been worked, bind off center 23 sts for neck and working both sides at once, bind off from each neck edge 3 sts once.

LEFT FRONT

Thread 9 (11, 11, 13, 14) beads onto yarn. With smaller needles, cast on 42 (47, 51, 55, 60) sts. Work as for back, working 3 sts in garter st at side edge and working first beading row as foll: Next (beading) row (RS) K4 (2, 4, 2, 5), place bead, [k7, place bead] 4 (5, 5, 6, 6) times, k5 (4, 6, 4, 6). Work 2nd beading row as foll: Next (beading) row (RS) K8 (6, 8, 6, 1), place bead, [k7, place bead] 3 (4, 4, 5, 6) times, k9 (8, 10, 8, 10). When piece measures 8"/20.5cm from beg, work all sts in St st until same length as back to armhole. Shape armhole at side edge as for back—35 (37, 39, 39, 42) sts. Work until piece measures 27 (27½, 28, 28½, 29)"/68.5 (70, 71, 72, 73.5)cm from beg, end with a RS row.

Neck and shoulder shaping

Next row (WS) Bind off 4 sts (neck edge), work to end. Cont to bind off from neck edge 3 sts once, 2 sts 4 times, AT SAME TIME, when same length as back to shoulder, shape shoulder at side edge as for back.

RIGHT FRONT

Work to correspond to left front, reversing shaping.

SLEEVES

With smaller needles, cast on 61 sts. Thread 7 beads onto yarn. K 4 rows. P 1 row. Next (beading) row (RS) K6, place bead, [k7, place bead] 6 times, k6. Change to larger needles. Work in St st for 2 rows. K 3 rows. Cont in St st, inc 1 st each side every 10th (10th, 8th, 8th, 6th) row 3 (3, 5, 5, 3) times, every 12th (12th, 10th, 10th, 8th) row 5 (5, 5, 5, 9) times—77 (77, 81, 81, 85) sts. Work until piece measures 17"/43cm from beg.

Cap shaping

Next row (RS) Bind off 4 (4, 3, 5, 5) sts at beg of next 2 (2, 4, 4, 4) rows. Next (dec) row (RS) K3, k2tog, work to last 5 sts, k2togtbl, k3. Rep dec row every other row 10 (12, 12, 2, 5) times, every 4th row 0 (0, 0, 6, 5) times. Bind off 3 (2, 2, 2, 2) sts at beg of next 4 rows. Bind off rem 35 sts,

FINISHING

Block pieces to measurements. Sew shoulder seams. Set in sleeves. Sew side seams, leaving 8"/20.5cm unsewn for slits. Sew sleeve seams.

Buttonband


With RS facing and size 5 (4mm) needles, pick up and k130 (134, 136, 138, 140) sts along left front edge. K 4 rows, [p I row, k I row] twice. K 2 rows. Bind off. Place markers on band for 10 buttons, the first and last at 1"/2.5cm from each end, the others spaced evenly between.

Buttonhole band

Work same as button band, working buttonholes opposite markers on the 6th row working yo, k2tog for each buttonhole.

Collar

Thread 12 beads onto yarr. With WS facing and larger needles, pick up and k 86 sts along neck, including sides of front bands. Work in garter st for 4 rows. Bind off 8 sts at beg of next 2 rows. Keeping first and last 3 sts in garter st, work rem sts in St st, dec 1 st each side every RS row, for 16 rows. K 4 rows. Work in St st for 2 rows. Next (beading) row (RS) K5, place bead [k7, place bead] 11 times, work to end. Working garter st over first and last 3 sts, work in St st for 2 rows. K 3 rows over all sts. Bind off.





SON NOW MAN MAD

Sized for X-Small (Small, Medium, Large, X-Large, XX-Large). Shown in size Medium on page 27.




MATERIALS

13%

Luster Sheen by J. &P. Coats/Coats & Clark, 13/40z/50g balls, each approx 100yd/92m (acrylic)

- 5 (5, 6, 7, 7, 8) balls in #0673 aqua
- One pair each sizes 4 and 5 (3.5 and 3.75mm) needles OR SIZE TO OBTAIN GAUGE



FINISHED MEASUREMENTS

- Bust 29 (33, 37, 41, 45, 49)"/73.5 (84, 94, 104, 114, 124.5)cm
- Length 21 (21½, 22, 22½, 23, 23½)"/53 (54.5, 56, 57, 58.5, 59.5)cm

GAUGE

24 sts and 32 rows to 4"/10cm over St st using larger needles.

TAKE TIME TO CHECK YOUR GAUGE.

CLUSTER STITCH

Sl 2 wyib, bring yarn to front, sl same 2 sts back to LH needle, bring yarn to back passing in front of 2 slipped sts, sl same 2 sts to RH needle.

BACK

With smaller needles, cast on 88 (100, 110, 124, 136, 148) sts. Work in St st for 1"/2.5cm. K 1 row on WS for turning ridge. Change to larger needles. Cont in St st for 1"/3cm. Dec 1 st each side on next row, then every 8th row 5 times more—76 (83, 98, 112, 124, 136) sts. Work even for 1"/2.5cm. Inc 1 st each side on next row, then every 8th row 5 times more—88 (100, 110, 124, 136, 148) sts. Work even until piece measures 13"/33cm above turning ridge.

Armhole shaping

Bind off 5 (5, 6, 7, 8, 9) sts at beg of next 2 rows. **Next (dec) row (RS)** Sl 1, [k1, p1] twice, ssk, work to last 7 sts, k2tog, [p1, k1] twice, k1. Rep dec row every other row 0 (5, 7, 9, 11, 13) times more—76 (78, 82, 90, 96, 102) sts. Work even until armhole measures 7½ (8, 8½, 9, 9½, 10)"/19 (20.5, 21.5, 23, 24, 25.5)cm.

Shoulder shaping

Bind off 10 (9, 11, 12, 12, 13) sts at bcg of next 4 (2, 2, 4, 2, 2) rows, 0 (12, 12, 0, 14, 14) sts at bcg of next 0 (2, 2, 0, 2, 2) rows. Bind off rem 36 (36, 36, 42, 44, 48) sts for back neck.

FRONT

Work as for back until piece measures 5"/12.5cm above turning ridge, end with a RS row. Cont side shaping as for back, AT SAME TIME, beg cluster diamond pat as foll: Next row (WS)


Work to center 2 sts, work cluster st over center 2 sts (row 1 of chart), work to end. Next row (RS) Work to center 4 sts, k2tog, yo twice, k2tog tbl, (row 2 of chart), work to end. Next row Work to 3 sts before double yo, p1 tbl, work cluster st over next 2 sts, p1 in first yo, p1 tbl in 2nd yo, work cluster st over next 2 sts (row 3 of chart), work to end. Cont in chart as established through row 57. Work all sts in St st until same length as back to armhole. Shape armhole as for back, AT SAME TIME, when piece measures 12 (12½, 13, 13½, 14, 14½)"/30.5 (32, 33, 34, 35.5, 37)cm above turning ridge, shape neck as foll:

Neck shaping

Next row (RS) Work to center, join a 2nd ball of yarn and work to end. Next (dec) row (WS) Working both sides at once, work to last 6 sts of first side, p2tog tbl, [p1, k1] twice; on 2nd side [k1, p1] twice, p2tog, work to end. Rep dec row every other row 2 (2, 2, 8, 10, 14) times, every 4th row 15 (15, 15, 12, 11, 9) times. Work even until same length as back to shoulder. Shape shoulders as for back.

FINISHING

Block pieces to measurements. Sew shoulder seams and side seams. Fold hem at lower edge to WS and sew in place.



3

ON SEE SEE SEE

Sized for one size and shown on page 28.



MATERIALS

Velourine by Fonty/Russi Sales 1¾oz/ 50g balls, each approx 119yd/110m (cotton/viscose)

- 4 balls in #170318 orange
- One pair size 4 (3.5mm) needles OR SIZE TO OBTAIN GAUGE
- Size E/4 (3.5mm) crochet hook
- 66 each of dk red and orange large-eyed beads, size 1/8"/10mm

FINISHED MEASUREMENTS

- Bust 42"/106.5cm
- Length 15"/38cm (including fringe)

GAUGE

20 sts until 30 rows to 4"/10cm over St st using size 4 (3.5mm) needles.

TAKE TIME TO CHECK YOUR GAUGE.

BACK

Cast on 88 sts. Row 1 (RS) K1, *p1, k1; rep from * to end. Row 2 P1, *k1, p1; rep from * to end. Cont in St st for 2 rows. Inc row (RS) K2, yo (for inc 1 st), k19, yo, pm, k46, pm, yo, k19, yo, k2—92 sts and 4 yo incs. Rep inc row every 8th row 3 times more, working first and last yo inc at 2 sts from each outside edge and 2nd yo inc before first marker, 3rd yo inc after 2nd marker—104 sts after all incs. Work even until piece measures 4½"/11.5cm from beg.

Neck and armhole shaping

Next row (RS) K51, join a 2nd ball of yarn and bind off center 2 sts, k to end. Work even on both sides separately for 1 row. Dec row 1 (RS) K3, SK2P (double dec), work to last 5 sts of first side, k2tog, k3; on 2nd side, k3, SKP, work to last 6 sts, k3tog (double dec), k3. Work 1 row even. Rep last 2 rows once. Dec row 2 (RS) K3, SKP, work to last 5 sts of first side, k2tog, k3; on 2nd side, k3, SKP, work to last 5 sts, k2tog, k3. There are single decs worked at all 4 edges. Work 1 row even. Rep dec row 2 every other row 5 times more, then cont to work single decs at both armhole edges every 4th row 7 times more (then cont armhole edge even), work single decs at each neck every other row 4 times more, every 4th row 11 times more-11 sts rem each side. Work even until piece measures approx 121/2"/32cm from beg. Bind off sts each side for shoulders.

FRONT

Work as for back until piece measures 3"/8cm from beg. Note The yo incs will cont after the separation for center straps (or halter strap) so that there are 104 sts at armhole and all armhole shaping will correspond to back armhole shaping.

Neck and strap shaping

Next row (RS) K 51, join a 2nd ball of yarn and bind off center 2 sts, k to end. Work even on both sides separately for 1 row. *Next row (RS) K to last 5 sts of first side, k2tog, p1, k2; on 2nd side, k2, p1, SKP, work to end*. Next row (WS) P to last 3 sts of first side, k1, p1, p1; on 2nd side, k1, p1, k1, p to end. Work even as established for 2 rows. Rep between *'s once more. Work even (with p st neck detail as established) until piece measures 43/4"/12cm from beg or same length as back to armhole.

Armhole shaping


Foll the rows of back armhole shaping for dec placements, work double decs at each armhole edge on next row then every other row once more, single decs at each armholc edge every other row 6 times, single decs at each armhole edge every 4th row 7 times, AT SAME TIME, when piece measures 6"/15cm from beg, shape side straps as foll: Next row (RS) On first side, work to last 18 sts, k2tog, k1, join a 3rd ball of yarn and work the 15 sts of left center strap; with next ball of yarn work 15 sts of right center strap, join a 4th ball of yarn and k1, SKP, k to end. Cont with armhole shaping as before, cont to dec at end of left side strap and beg of right side strap every 4th row 4 times more. After all dees and shaping there are 11 sts in each side strap and 15 sts in each center strap. When the 11 sts of side straps measures the same length as back straps, bind off sts each side. Cont to work center (halter) strap separately until halter straps measure 19"/48cm from beg. Bind off.

FINISHING

Do not press. Sew ends of center strap tog to form halter. Sew side straps at shoulders. Sew side seams.

BEADED FRINGE

String 132 beads onto working yarn in alternating colors. Beg at one side seam with crochet hook, join with a sl st and 1 sc in side seam, *ch 11, working through 1 bead, sc in 2nd ch from hook, I sc in next ch, working through 2nd bead, sc in next ch, 1 sc in next ch, working through 3rd bead, 1 sc in next ch, 1 sc in each of 5 ch, 1 sc in each of the next 2 k ribs; rep from * around entire lower edge for a total of 44 beaded fringes. Join and fasten off.





ASS 2005 2005

Sized for X-Small (Small Medium, Large, X-Large). Shown in size Small on page 29.



MATERIALS

Summer Tweed by Rowan Yarns, 1¾oz/50g balls, each approx 118yd/108m (silk/cotton)

- 2 (2, 2, 3, 3) balls each in #512 blue (A), #505 green (B), #504 gold (C) and #510 purple (D)
- 1 (1, 1, 2, 2) balls each in #503 orange (E), #502 dk orange (F) and #501 lavender (G)
- One pair each sizes 5 and 7 (3.75 and 4.5mm) needles OR SIZE TO OBTAIN GAUGE

FINISHED MEASUREMENTS

- Bust 33 (35, 37, 40, 43)"/84 (89, 94, 101.5, 109)cm
- Length 20 (20½, 21, 21½, 22)"/51 (52, 53, 54.5, 56)cm
- Upper arm 15 (16, 17, 18, 19)"/38 (40.5, 43, 45.5, 48)cm

GAUGE

17 sts and 26 rows to 4"/10cm over St st using larger needles.

TAKE TIME TO CHECK YOUR GAUGE.

STRIPE PATTERN

14 rows each D, A, B, C, E, F. Rep these 84 rows for stripe pat.

BACK

With smaller needles and G, cast on 70 (74, 78, 84, 90) sts. Work in k2, p2 rib for 2"/5cm, inc 1 st in center of last WS row—71 (75, 79, 85, 91) sts. Change to larger needles and work in St st and stripe pat until piece measures 12½"/30.5cm from beg.

Armhole shaping

Cont in stripe pat, bind off 5 (7, 7, 9, 9) sts at beg of next 2 rows—61 (61, 65, 67, 73) sts. Work even until armhole measures 7½ (8, 8½, 9, 9½)"/19 (20.5, 21.5, 23, 24)cm. Bind off all sts.

FRONT

Work as for back until piece measures 9"/23cm from beg, end with a WS row.

Beg chart

Cont in stripe pat, work 35 [37, 39, 42, 45] sts, beg with row 1 and work 1 st of chart, work in stripe pat to end. Cont in pat as established, work 30 rows of chart and stripe pat, AT SAME TIME, when piece measures same as back to armhole, shape armhole as for back. When chart is complete, cont stripe pat to end, AT SAME TIME, when piece measures 18 (18½, 19, 19½, 20)"/45.5 (47, 48, 49.5, 51)cm from beg, shape neck as foll: Work 23 (23, 25, 26, 29) sts, join a 2nd ball of yarn and bind off center 15 sts, work to end. Working both sides at once, bind off from each neck edge 3 sts once, 2 sts once, 1 st twice. When same length as back, bind off rem 16 (16, 18, 19, 22) sts each side for shoulders.

SLEEVES

With smaller needles and G, cast on 36 sts. Work


in k2, p2 rib for 2"/5cm. Change to larger needles. Beg with stripe B, work in St st and stripe pat, AT SAME TIME, inc 1 st each side every 8th (6th, 6th, 4th, 4th) row 9 (4, 12, 4, 10) times, every 10th (8th, 8th, 6th, 6th) row 5 (12, 6, 16, 12) times—64 (68, 72, 76, 80) sts. Work even until piece measures approx 22"/56cm, end with stripe E. Bind off.


FINISHING

Block pieces to measurements. Sew one shoulder seam.

Neckband

With RS facing, smaller needles and G, pick up and k82 sts evenly around neck edge. Work in k2, p2 rib for 1"/2.5cm. Bind off. Sew 2nd shoulder and neckband seam. Set in sleeves, sewing last 1 (1½, 1½, 2, 2)"/2.5 (4, 4, 5, 5)cm at top of sleeve to bound-off armhole sts. Sew side and sleeve seams. ❖





488 688

Sized for X-Small (Small Medium, Large, X-Large, XX-Large). Shown in size X-Small on page 30.



MATERIALS

Dance by Artful Yarns/JCA, 31/20z/100g balls, each approx 70yd/64m (cotton/acrylic)

- 7 (9, 10, 11, 12, 13) balls in #922 yellow
- One pair size 11 (8mm) needles OR SIZE TO OBTAIN GAUGE
- 1yd/.95m braided leather cord

FINISHED MEASUREMENTS

- Bust 33½ (36, 38, 42, 46½, 51)"/85 (91.5, 96.5, 106.5, 118, 129.5)cm
- Length 20 (20, 20½, 22½, 23, 23½)"/51 (51, 52, 57, 58.5, 59.5)em
- Upper arm 12½ (13, 14, 15, 16, 17½)"/32 (33, 35.5, 38, 40.5, 44.5)cm

GAUGE

11 sts and 16 rows to 4"/10cm over St st using size 11 (8mm) needles.

TAKE TIME TO CHECK YOUR GAUGE.

BACK

Cast on 46 (50, 52, 58, 64, 70) sts. Work in St st until piece measures 12 (12, 12, 13, 13, 13)"/30.5 (30.5, 30.5, 33, 33, 33)cm from beg.

Armhole shaping

Next row (RS) Bind off 2 (2, 3, 3, 3, 3) sts at beg of next 2 rows, 2 sts at beg of next 0 (0, 0, 0, 2, 2) rows—42 (46, 46, 52, 54, 60) sts. Next (dec) row (RS) K3, k2tog, work to last 5 sts, ssk, k3. Rep dec row every other row 2 (3, 3, 5, 5, 6) times more—36 (38, 38, 40, 42, 46) sts. Work even until armhole measures 7 (7½, 8, 9, 9½, 10)"/18 (19, 20.5, 23, 24, 25.5)cm.

Shoulder shaping

Next row (RS) Bind off 7 (8, 8, 9, 10, 12) sts at beg of next 2 rows. Bind off rem 22 sts for back neck.

FRONT

Work as for back until same length as back to armhole. Shape armhole as for back, AT SAME TIME, when piece measures 12 (12, 12½, 14½, 15, 15½)"/30.5 (30.5, 32, 37, 38, 39.5)cm from beg, shape placket as foll: Next row (RS) Work to center 8 sts, yo, k2tog, k2, join a 2nd ball of yarn, k2, ssk, yo, work to end. Working both sides at once, work 3 rows even. Rep last 4 rows 3 times more.

Neck shaping

Bind off from each neck edge 6 sts once, 3 sts once, 1 st twice. When same length as back to shoulders, shape shoulders as for back.

SLEEVES

Cast on 28 (28, 30, 30, 32, 32) sts. Work in St st for 1"/2.5cm, end with a WS row. Inc 1 st each side every 14th (10th, 10th 8th, 8th, 6th) row 1 (2, 2, 6, 6, 8) times, every 16th (12th, 12th, 0, 0, 0) row 2 (2, 2, 0, 0, 0) times—34 (36, 38, 42, 44, 48) sts. Work even until piece measures 13 (13, 13, 14, 14, 14)"/33 (33, 33, 35.5, 35.5, 35.5)cm from beg.

Cap shaping

Bind off 2 (2, 3, 3, 3, 3) sts at beg of next 2 rows. Next (dec) row (RS) K3, k2tog, work to


last 5 sts, ssk, k3. Rep dec row every other row 4 (5, 5, 6, 7, 6) times more. Bind off 2 sts at beg of next 4 (4, 4, 2, 2, 8) rows, 3 sts at beg of next 0 (0, 0, 2, 2, 0) rows. Bind off rem 12 sts.

FINISHING

Block pieces to measurements. Sew shoulder seams. Set in sleeves. Sew side and sleeve seams.

Neckband

With RS facing, pick up and k60 sts evenly around neck edge. Bind off all sts. Lace leather cord through eyelets.





400 500 500

Sized for X-Small (Small, Medium, Large, X-Large). Shown in size Small on page 31.



MATERIALS

Carmen by Goddess Yarns, 1%oz/50g balls, each approx 90yd/83m (cotton)

- 5 (5, 6, 7, 8) balls in #8361 mint
- One pair size 7 (4.5mm) needles OR SIZE TO OBTAIN GAUGE
- Cable needle
- · Crochet hook for fringe

FINISHED MEASUREMENTS

- Bust 32 (36, 40, 44, 48)"/81.5 (91.5, 101.5, 111.5, 122)cm
- Length (without fringe) 16 (17, 18, 19, 19)"/40.5 (43, 45.5, 48.5, 48.5)cm

GAUGE

20 sts and 26 rows to 4"/10cm over St st using size 7 (4.5mm) needles.

TAKE TIME TO CHECK YOUR GAUGE.

STITCH GLOSSARY

Right Purl Twist (RPT) SI 1 st to en and hold to back, k1, p1 from en. Left Purl Twist (LPT) SI 1 st to en and hold to front, p1, k1 from en. Right Twist (RT) SI 1 st to en and hold to back, k1, k1 from en.

DIAMOND PATTERN

Row 1 (RS) K6, RT, k6. Row 2 and all WS rows K the knit sts and p the purl sts. Row 3 (RS) K5, RPT, LPT, k5. Row 5 K4, RPT, p2, LPT, k4. Row 7 K3, RPT, p4, LPT, k3. Row 9 K2, RPT, p6, LPT, k2. Row 11 K1, RPT, p8, LPT, k1. Row 13 RPT, p10, LPT. Row 15 K1, LPT, p8, RPT, k1. Row 17 K2, LPT, p6, RPT, k2. Row 19 K3, LPT, p4, RPT, k3. Row 21 K4, LPT, p2, RPT, k4. Row 23 K5, LPT, RPT, k5. Row 24 Rep row 2. Rep rows 1-24 for diamond pat.

BACK

Cast on 80 (90, 100, 110, 120) sts. Work in St st for 8 (9, 9, 9, 10)"/20.5 (23, 23, 23, 25.5)cm.

Armhole shaping

Bind off 5 (5, 6, 6, 7) sts at beg of next 2 rows, 3 sts at beg of next 2 (4, 4, 4, 4) rows. **Dec row (RS)** K2, k2tog, work to last 4 sts, ssk, k2. Rep dec row every other row 3 (4, 4, 5, 6) times more—56 (58, 66, 74, 80) sts. Work even until armhole measures 5½ (5½, 6½, 6½, 6½, 6½)"/14 (14, 16.5, 16.5, 16.5) cm.

Neck shaping

Next row (RS) Work 21 (22, 25, 29, 31) sts, join 2nd ball of yarn and bind off center 14 (14, 16, 16, 18) sts, work to end. Work 1 row even. Dec row (RS) Work to 4 sts on first half, ssk, k2; on 2nd half, k2, k2tog, work to end. Rep dec every RS row 3 times more—17 (18, 21, 25, 27) sts each side. Work until armhole measures 8 (8, 9, 9, 10)"/20.5 (20.5, 23, 23, 25.5)cm. Bind off.

FRONT

Work as for back for 1/2"/1.5cm.

Beg diamond pat

Work 33 (38, 43, 48, 53) sts, work diamond pat over 14 sts, work to end. Cont as established until 49 rows have been worked in pat, then cont all sts in St st, AT SAME TIME, when same length as back to armholes, shape armhole as for back, AND, when 3 rows St st have been worked above last diamond row, work as foll:

Neck shaping


Next row (RS) Work to 4 sts before center, k2tog, k2; join 2nd ball of yarn, k2, ssk, work to end. Working both sides at once, rep dec row every RS row until 17 (18, 21, 25, 27) sts rem each side. When same length as back, bind off.

FINISHING

Block pieces to measurements. Sew shoulder and side seams.

Fringe

Cut approx 84 (94, 104, 114, 124) lengths of yarn, each approx 12"/30.5cm long (or about 3 times the actual desired length of fringe). Attach fringe to lower edge of body every 4 sts. Row 1 of fringe Split fringe into 1 strand and knot it secure-



ly to the single strand of the fringe on either side. Do not pull fringe too tightly. Rep fringing sequence a total of 3 times, or until fringe border is desired length. Lay piece flat and, with your fingers, comb fringe flat. Carefully trim.

1

455 SSS SSS (55)

Sized for X-Small (Small, Medium, Large). Shown in size Small on page 32.



MATERIALS

Beaux by S.R. Kertzer Collection, 1%oz/50g balls, each approx 110yd/100m (cotton/viscose/polyester)

- 9 (9, 10, 10) balls in #12 pink multi (A)
 Multi Fizz by S.R. Kertzer Collection,
 1¼oz/50g balls, each approx 66yd/60m (polyester)
- 2 (2, 2, 3) balls in #615 pink multi (B)
- One pair size 6 (4mm) needles OR SIZE TO OBTAIN GAUGE
- · Stitch markers

FINISHED MEASUREMENTS

- Lower edge (closed) 31 (33, 35, 37½)"/78.5 (84, 89, 95)cm
- Bust (closed) 35 (37, 39½, 41)"/89 (94, 100, 104)cm
- Length 19 (19½, 20, 20½)"/48 (49.5, 51, 52)cm
- Upper arm 12 (12½, 13½, 13½)"/30.5 (32, 34, 35)cm

GAUGE

21 sts and 28 rows to 4"/10cm over patch pattern st using size 6 (4mm) needles. TAKE TIME TO CHECK YOUR GAUGE.

PATCH PATTERN STITCH

(over a multiple of 6 sts plus 2 sclvage sts).

Row 1 (RS) K1 (sclvage st), *k3, p3; rep from *, and k1 (sclvage st). Row 2 Rep row 1. Row 3 Rep row 1. Row 4 K1, p to last st, k1. Row 5 K1, *p3, k3; rep from *, end k1. Row 6 Rep row 5.

Row 7 Rep row 5. Row 8 Rep row 4. Rep rows 1-8 for patch pat st.

NOTE

All edges in B are worked after main pieces are knit.

BACK

With A, cast on 80 (86, 92, 98) sts. Work in patch pat st for 2¹/₄"/7cm. Inc 1 st each side (inside selvage sts) in pat on next row then every 8th row 4 times more—90 (96, 102, 108) sts. Work even until piece measures 9"/23cm from beg.

Armhole shaping

Bind off 4 (4, 4, 5) sts at beg of next 2 rows, 2 sts at beg of next 2 (2, 4, 4) rows. **Dec row (RS)** K1, SKP, work pat to last 3 sts, k2tog, k1. Work 1 row even. Rep last 2 rows 2 (4, 4, 5) times more—72 (74, 76, 78) sts. Work even until armhole measures $3\frac{1}{2}$ (4, $4\frac{1}{2}$, 5)"/9 (10, 11.5, 12.5)cm. **Next (inc) row (RS)** K1, M1, work to last st, M1, k1. Rep inc row every 8th row once more—76 (78, 80, 82) sts. Work even until armhole measures

71/4 (73/4, 81/4, 83/4)"/18.5 (19.5, 21, 22)cm.

Neck and shoulder shaping

Bind off 5 sts at beg of next 2 (2, 4, 4) rows, 4 sts at beg of next 8 (8, 6, 6) rows, AT SAME TIME when armhole measures 7½ (8, 8½, 9)"/19 (20.5, 21.5, 23)cm, shape neck by binding off center 18 (20, 20, 22) sts. Then working both sides separately, bind off 4 sts from each neck edge twice.

LEFT FRONT

With A, cast on 38 (41, 44, 47) sts. **Row 1 (RS)** K1 (selvage st), *k3, p3; rep from *, end k0 (3, 0, 3), k1 (selvage st). Cont in patch pat st as established until piece measures 2³/₄"/7cm from beg. **Inc row** (**RS**) K1, M1, work pat to end. Rep inc row every 8th row 4 times more —43 (46, 49, 52) sts. Work even until piece measures 9"/23cm from beg.

Armhole shaping

Next row (RS) Bind off 4 (4, 4, 5) sts, work to end. Work 1 row even. Bind off 2 sts from armhole edge 1 (1, 2, 2) times. Work 1 row even. Dec row (RS) K1, SKP, work to end. Rep dec row every other row 2 (4, 4, 5) times more—34 (35, 36, 37) sts. Work until armhole measures 3½ (4, 4½, 5)½ (10, 11.5, 12.5)cm. Next (inc) row (RS) K1, M1, work pat to end. Rep inc row every 8th row once more, AT SAME TIME, when piece measures 14 (14½, 15, 15½)½/35.5 (37, 38, 39.5)cm from beg, end with a RS row and shape neck as foll:

Neck shaping

Next row (WS) Bind off 3 sts, work to end. Cont to shape neck binding off 3 sts from neck edge twice more, then 2 sts 2 (3, 3, 3) times, 1 st 2 (1, 1, 2) times—21 (21, 22, 22) sts rem. Work even until armhole measures 7 1/4 (73/4, 81/4, 83/4)"/18.5 (19.5, 21, 22)cm.

Shoulder shaping

Bind off 5 sts from shoulder edge 1 (1, 2, 2) times, 4 sts 4 (4, 3, 3) times.

RIGHT FRONT

Work as for left front reversing pat placement and all shaping.

SLEEVES

With A, cast on 44 sts. Work in patch pat st, inc 1 st each side (working inc sts into pat) every 10th row 7 (6, 0, 0) times, every 8th row 4 (6, 14, 15) times —66 (68, 72, 74) sts. Work even until piece measures 16½ (16¾, 17, 17½)"/42 (42.5, 43, 44.5)cm from beg.

Cap shaping

Bind off 4 sts at beg of next 2 rows, 2 sts at beg of next 2 rows. Dec 1 st each side every other row 4 (5, 7, 8) times, every 4th row 3 times, every other row twice. Bind off 2 sts at beg of next 8 rows. Bind off rem 20 sts.

FINISHING

Do not block or press pieces.

Lower back trim

With B, pick up and k 72 (78, 84, 90) sts from back edge evenly spaced. K 8 rows. Bind off.

Lower front trim

With B, pick up and k 35 (38, 41, 44) sts from left front lower edge evenly spaced. K8 rows. Bind off, Work right front trim in same way.

Sleeve cuff trim

With B, pick up and k 40 sts along sleeve cuff edge. K8 rows. Bind off.


Center front trim


With B, pick up and k 66 (68, 70, 72) sts along center left front edge, including the lower trim. K8 rows, dec 1 st at neck edge every other row 3 times. Bind off rcm 63 (65, 67, 69) sts. Work right front trim in same way. Sew shoulder seams. Set in sleeves. Sew side and sleeve seams.

Collar

With B, beg at edge of center front trim, pick up

and k 5 sts along trim, pm, 25 (26, 26, 27) sts to shoulder seam, pm, 35 (37, 37, 39) sts along back neck, pm, 25 (26, 26, 27) sts to front trim, pm, 5 sts from front trim—95 (99, 99, 103) sts. K1 row. Next row (RS) *K to 1 st before marker, SK2P; rep from * 3 times more, k to end. Rep last 2 rows 3 times more. Bind off. *





Sized for X-Small (Small, Medium, Large). Shown in size Small on page 33.



MATERIALS

Wellness by Gedifra/KFI 1¾oz/50g balls, each approx 119yd/110m

- 8 (8, 9, 10) balls in #2196 lt blue (A)
- 2 (2, 2, 3) balls in #2169 lt olive (B)
- One pair each sizes 10 and 10½ (6 and 6.5mm) needles OR SIZE TO OBTAIN GAUGE
- Size K/10½ (8mm) crochet hook
- One 3/4"/20mm button

FINISHED MEASUREMENTS

- Lower edge (wrapped) 36 (39, 40, 42½)"/91.5
 (99, 101.5, 108) cm
- Waist (wrapped) 26½ (29, 30, 33)"/67 (73.5, 76, 84) cm
- Length 20 (20, 21, 21)"/51 (51, 53, 53) cm

GAUGE

13 sts and 17 rows to 4"/10cm over St st using 2 strands of yarn held tog and size 10½ (6.5mm) needles.

TAKE TIME TO CHECK YOUR GAUGE.

SEED STITCH PATTERN

(over an odd number of sts)

Row 1 (RS) K1, *p1, k1; rep from * to end. Row

2 K the purl and p the knit sts.

Rep row 2 for seed st pat.

NOTE

Work with 2 strands of yarn held tog throughout

BACK

With smaller needles and 2 strands of A held tog, cast on 59 (63, 65, 69) sts. Work in seed st pat for 5 rows. Change to larger needles and beg with a K row, cont in St st until piece measures 2 (2, 3, 3)"/5 (5, 7.5, 7.5) cm from beg. **Dec row** (RS) K1, k2tog, k to last 3 sts, SKP, k1. Rep dec row every 16th row twice more—53 (57, 59, 63) sts. Work even until piece measures 15 (15, 16, 16)"/38 (38, 40.5, 40.5) cm from beg.

Beg waistband pat

Row 1 (RS) With 2 strands B, k12, k2tog (for waist dart), k to last 14 sts, SKP, (for waist dart) k12. Row 2 With B, purl. Row 3 With B, knit to end, casting on 88 sts at end of row (for tie). Row 4 Bind off 88 sts, purl to end. Row 5 With 2 strands A, rep row 1. Rows 6, 7 and 8 Work even with A. Row 9 Rep row 5. Rows 10, 11 and 12 Work even with A. Rows 13-17 Rep rows 1-5—43 (47, 49, 53) sts. Work even with A until piece measures approx 20 (20, 21, 21)"/51 (51, 53, 53) cm from beg, bind off.

RIGHT FRONT PANEL

With smaller needles and 2 strands of A held tog, cast on 47 (49, 51, 55) sts. Work in seed st for 5 rows. Change to larger needles. Next row (RS) Work 4 sts in seed st, k to end. Cont to keep the first 4 sts in seed st, work in St st on rem sts until piece measures 2 (2, 3, 3)"/5 (5, 7.5, 7.5) cm from beg. Dec row (RS) K to last 3 sts, SKP, k 1. Rep dec row every 16th row twice more—44 (46, 48, 52) sts. Work even until piece measures 15 (15, 16, 16)"/38 (38, 40.5, 40.5) cm from beg.

Beg waistband pat

Row 1 (RS) With 2 strands B, k to last 14 sts, SKP (for waist dart), k12. Row 2 With B, purl. Row 3 With B, cast on 88 sts, then bind off these 88 sts (for tie), k to end. Row 4 With B, purl. Row 5 With 2 strands A, rep row 1. Rows 6, 7 and 8 Work even with A. Row 9 Rep row 5. Rows 10, 11 and 12 Work even with A. Rows 13-17 Rep rows 1-5—39 (41, 43, 47) sts. Work even with A until same length as back. Bind off.


LEFT FRONT PANEL


With smaller needles and 2 strands of A held tog, cast on 33 (35, 39, 43) sts. Work in seed st for 5 rows. Change to larger needles. Next row (RS) K to last 4 sts, work 4 sts in seed st. Cont to keep the first 4 sts in seed st, work in St st on rem sts until piece measures 2 (2, 3, 3)"/5 (5, 7.5, 7.5) cm from beg. Dec row (RS) K1, k2tog, k to


end. Rep dec row every 16th row twice more—30 (32, 36, 40) sts. Cont as for right front panel, working decs in reverse as established to waistband pat. Work waistband pat strips as on other pieces ONLY do not work the ties, and work waist darts at 12 sts from beg of row for reverse of shaping from right front panel. After the 2nd B stripe work 1 buttonhole at 6 sts from center front by k2tog, yo, work 4-st band. When piece measures same length as back, bind off rem 25 (27, 31, 35) sts.

FINISHING

Block pieces to measurements. Sew right front panel to side of right back. Sew left front panel to side of left back only leave 2 openings at the B stripes to accommodate ties. With crochet hook and 2 strands A, work an edge of sc along waist edge skipping every other st to keep waist edge taut. Sew on button at 7"/18cm in from right front panel to WS of skirt to correspond to buttonhole.










48 28 CC

Sized for Small (Medium, Large). Shown in size Small on page 34.



MATERIALS

Weekend Cotton by Classic Elite Yarns, 3½0z/100g skeins, each approx 51yd/46m (cotton)

- 11 (11, 12) skeins in #4835 green
- One pair size 11 (8mm) needles OR SIZE TO OBTAIN GAUGE
- Cable needle

FINISHED MEASUREMENTS

- Lower edge 37 (40, 43½)"/94 (101.5, 110.5)cm
- Bust 45 (48, 51½)"/114 (122, 131)cm
- Length 19½ (19½, 20)"/49.5 (49.5, 51)cm
- Upper arm 14 (14, 14½)"/35.5 (35.5, 37)cm

GAUGES

- 10 sts and 14 rows to 4"/10cm over St st using size 11 (8mm) needles.
- One 12-st cable panel to 3½"/9cm.

TAKE TIME TO CHECK YOUR GAUGES.

CABLE PATTERN

(over 12 sts)

Rows 1 and 3 (RS) Knit. Rows 2 and 4 Purl. Row 5 K4, sl 4 sts to cn and hold to front, k4, k4 from cn. Rows 6, 8, 10 and 12 Purl. Rows 7, 9 and 11 Knit. Row 13 Sl 4 sts to cn and hold to back, k4, k4 from cn, k4. Rows 14, 16, 18 and 20 Purl. Rows 15, 17 and 19 Knit. Rep rows 5-20 for cable pat.

BACK

Cast on 58 sts. Row 1 (RS) K1 (selvage st), p6, k2, *p4, k4; rep from *, end p4, k2, k1 (selvage st). Row 2 K the knit and p the purl sts. Rep these 2 rows for k4, p4 rib for 2½"/6cm.

Beg cable pat

Row 1 (RS) K1 (selvage st), p6, inc 0 (1, 2) sts across these 6 sts, *k12 (cable pat), p4 inc 0 (1, 2) sts across these 4 sts; rep from * once, k12 (cable pat), p6 inc 0 (1, 2) sts across these 6 sts, k1 (selvage st)—58 (62, 66) sts. Cont in cable and reverse St st as established inc 1 st each side every 4th row 5 times—68 (72, 76) sts. Work even until piece measures 11"/28cm from beg.

Armhole shaping

Bind off 2 sts at beg of next 2 rows. Dec 1 st each side every other row 7 times—50 (54, 58) sts. Work even until armhole measures 8½ (8½, 9)"/21.5 (21.5, 23)cm.

Shoulder shaping

Bind off 12 (13, 14) sts at beg of next 2 rows—26 (28, 30) sts rem. Cont on these sts (cont cable pat on center 12 sts) for collar for 1½"/4cm. Bind off.

FRONT

Work as for back.

SLEEVES

Cast on 38 sts. **Row 1 (RS)** K1 (selvage st), *p4, k4; rep from *; end p4, k1 (selvage st). **Row 2** K the knit and p the purl sts. Rep these 2 rows for k4, p4 rib for 2½*/6cm.

Beg cable pat


Row 1 (RS) K1 (selvage st), p12 inc 1 (1, 2) sts across these 12 sts, k12 (cable pat), p12 inc 1 (1, 2) sts across these 12 sts, k1 (selvage st)—40 (40, 42) sts. Cont in cable pat and reverse St st as established, inc 1 st each side every 6th row 3 times—46 (46, 48) sts. Work even until piece measures 8½"/22cm from beg.

Cap shaping

Bind off 2 sts at beg of next 2 rows. Dec 1 st each side every other row 5 times. Bind off 3 sts at beg of next 4 rows. Bind off rem 20 (20, 22) sts.

FINISHING


Block pieces lightly to measurements. Sew shoulder seams. Set in sleeves. Sew side and sleeve seams.



10

45 55 55 D

Sized for Small (Medium, Large, X-Large). Shown in size Small on page 35.



MATERIALS

Tartelette by Knit One Crochet Too, 1% oz/50g balls, each approx 75yd/68m (cotton/tactel/nylon)

- · 6 (7, 8, 9) balls in #235 raspberry
- One pair size 8 (5mm) needles OR SIZE TO OBTAIN GAUGE
- Size 7 (4.5mm) circular needle, 16"/40cm
- Crochet hook size F/5 or G/6 (4 or 4.5mm) for fringe
- Stitch holders

FINISHED MEASUREMENTS

- Bust 35 (38, 41, 44)"/89 (96.5, 104, 112)cm
- Length 21¾ (22¼, 22¾, 23½)"/55 (56.5, 58, 59.5)cm
- Upper arm 13½ (14½, 15½, 16½)"/34 (37, 39.5, 42)cm

GAUGE

16 sts and 24 rows to 4"/10cm over k4, p2 rib, slightly stretched, using size 8 (5mm) needles. TAKE TIME TO CHECK YOUR GAUGE.

K4, P2 RIB

(over a multiple of 6 sts plus 2)

Row 1 (RS) K1 (selvage st), k2, *p2, k4; rep from *, end p2, k2, k1 (selvage st). Row 2 K the knit and p the purl sts. Rep these 2 rows for k4, p2 rib.

BACK

Cast on 74 (80, 86, 92) sts. Work in k4, p2 rib dec 1 st each side every [4th row, then 6th row] twice, then every 4th row once more—64 (70, 76, 82) sts. Work even until piece measures 13"/5cm from beg. Inc 1 st each side of next RS row, then every 8th row 3 times more—72 (78, 84, 90) sts. Work even until piece measures 12½"/31cm from beg.

Raglan armhole shaping

Dec row 1 (RS) K1, SKP, rib to last 3 sts, k2tog, k1. Row 2 Work even. Rep last 2 rows 24 (26, 28, 30) times more—22 (24, 26, 28) sts. Sl sts to a holder.

FRONT

Work as for back to raglan armholes.

Raglan armhole and neck shaping

Rep dec row 1 and 2 of back armhole a total of 23 (25, 27, 29) times, AT SAME TIME, when armhole measures 7 (7½, 7¾, 8¼)"/18 (19, 20, 21)cm, work neck shaping as foll: SI center 12 (14, 16, 18) sts to a holder and cont raglan shaping and working both sides at once, bind off 3 sts from each neck edge once, 2 sts twice.

RIGHT SLEEVE

Cast on 48 (52, 56, 60) sts. Row 1 (RS) K1 (selvage st), k 0 (0, 2, 0), p0 (2, 2, 0), *k4, p2; rep from *, end k4, p0 (2, 2, 3), k0 (0, 2, 0), k1 (selvage st). Cont in k4, p2 rib as established, inc 1 st each side every 4th row 4 times—56 (60, 64, 68) sts. Work even until piece measures 3½"/9cm from beg.

Raglan cap shaping

Work raglan dec row as on back only work 23 (25, 27, 29) decs on right edge (beg of RS rows), 25 (27, 29, 31) decs on left edge (end of RS rows), then bind off 4 sts from beg of RS rows (right edge) twice.

LEFT SLEEVE

Work as for right sleeve, reversing right and left edge shaping on raglan.

FINISHING


Block pieces lightly to measurements. Sew raglan sleeves into raglan armholes.

Neckband

With circular needle, pick up and k 66 (72, 78, 78) sts from neck edge, including sts from holders. Work in k4, p2 rib for 2½"/6cm. Bind off in rib. Sew side and sleeve seams.

Fringe

For each fringe, cut 3 strands 8"/20cm long. Using crochet hook and working around neck edge, work 1 fringe in each rib section, or as desired. Working along lower body edge, beg at 2"/5cm from cast-on edge, work 1 fringe in each knit rib, or as desired. Working along lower sleeve edge, beg at 2"/5cm from cast-on edge, work 1 fringe in each knit rib, or as desired. &



mark a

(E 100 100 C)

Handbag shown on page 36.



MATERIALS

Cotton Chenille by Crystal Palace Yarns, 13/40z/50g hanks, each approx 98yd/88m (cotton)

- · 10 hanks in #6040 lt blue
- One pair size 10½ (6.5mm) needles OR SIZE TO OBTAIN GAUGE
- Size H/8 (5mm) crochet hook
- · Cable needle

FINISHED MEASUREMENTS

Approx 16"/40cm wide x 12"/30cm tall.

GAUGE

11 sts and 20 rows to 4"/10cm using 2 strands of yarn over seed st pat using size 10½ (6.5mm) needles.

TAKE TIME TO CHECK YOUR GAUGE.

SEED STITCH PATTERN

(over an odd number of sts)

Row 1 K1, *p1, k1; rep from * to end. Row 2 K the purl and p the knit sts. Rep row 2 for seed st pat.

6-ST RC (LC)

(over 6 sts)

Rows 1 and 3 Knit. Rows 2, 4 and 6 Purl. Row 5 (RS) Sl 3 sts to cn and hold to back (front), k3, k3 from cn. Rep rows 1-6 for 6-st RC (6-st LC).

12-ST RC

(over 12 sts)

Rows 1, 3, 5, 7 and 9 Knit. Rows 2, 4, 6, 8, 10 and 12 Purl. Row 11 Sl 6 sts to cn and hold to back, k6, k6 from cn. Rep rows 1-12 for 12-st RC.

NOTES

Use 2 strands of yarn held tog throughout.
 Handbag is constructed with identical front and back pieces and two side gussets, one bottom and two handles.

BACK

With 2 strands of yarn, cast on 51 sts. Work in seed st for 3 rows.

Beg pats

Row 1 (RS) K1 (selvage st), work 1 seed st, p1, *inc 2 sts over next 4 sts for 6-st RC*, p1, work 3 seed sts, p1, rep between *'s, p1, inc 2 sts over next 4 sts for 6-st LC, p1, inc 5 sts over next 7 sts for 12-st RC, p1, rep between *'s, p1, inc 2 sts over next 4 sts for 6-st LC, p1, work 3 seed sts, p1, rep between *'s, p1, work 1 seed st, k1 (selvage st)—68 sts. Cont in pats as established (with sts in cables separated by reverse St st and seed sts as designated) until piece measures 11¼"/28.5cm from beg. Next row (RS) Work in seed st, dec 2 sts across each 6-st cable and 5 sts across 12-st cable—51 sts. Work in seed st for 2 rows more. Bind off in pat.

FRONT

Work as for back.

Bottom gusset

With 2 strands of yarn, cast on 15 sts. Work in seed st for 16"/40cm or until piece fits along lower (cast-on) edge of front or back. Bind off in pat.

Side gussets (make 2)

With 2 strands of yarn, east on 15 sts. Work in seed st for 12"/30cm. Bind off in pat.

Handles (make 2)

With 2 strands of yarn, cast on 5 sts. Work in seed st for 171/2"/44cm. Bind off in pat.

FINISHING

Sew one handle to front at top as shown in photo, sewing approx 1"/2.5cm to WS of bag and reinforcing to stay in place. Sew other handle to back in same way. With crochet hook and 2 strands of yarn, se tog the side gussets to the bottom gusset. Then, se the outside gusset to 3 sides of the bag as shown.

12

02 92 C

Sized for Small (Medium, Large, X-Large). Shown in size Small on page 36.



MATERIALS

Bali by GGH/Muench Yarns 1¾oz/50g balls, each approx 160yd/145m (cotton/acrylic).

- 9 (10, 11, 12) balls in #78 lime
- One pair each sizes 4 and 6 (3.5 and 4mm) needles OR SIZE TO OBTAIN GAUGE
- One pair each sizes 4 and 5 (3.5 and 3.75mm) circular needles, each 16"/40cm long

FINISHED MEASUREMENTS

- Bust 34½ (38½, 42½, 46½)"/87.5 (98, 108, 118)cm
- Length 23½ (24, 24½, 25)"/59.5 (61, 62, 63.5)cm
- Upper arm 15½ (16, 17, 17½)"/39.5 (40.5, 43, 44.5)cm

GAUGE

22 sts and 31 rows to 4"/10cm over wide rib pat st using larger needles.

TAKE TIME TO CHECK YOUR GAUGE.

WIDE RIB PATTERN

Note that rib width varies for each size. Row 1 (RS) *P8 (9, 10, 11), k11 (12, 13, 14); rep from *, end p8 (9, 10, 11). Row 2 K the knit and p the purl sts. Rep rows 1 and 2 for wide rib pat.

BACK

With smaller needles, cast on 95 (106, 117, 128) sts. Work each size as foll:

Size Small Row 1 (RS) K1 (selvage st), k3, *p4, k3, [p4, k4] twice, p3, k4, p4, k4; rep from *, end [p4, k3] twice, k1 (selvage st).

Size Medium Row 1 (RS) K1 (selvage st), k4, *p3, k3; rep from *, end p4, k1 (selvage st).

Size Large Row 1 (RS) K1 (selvage st), k5, *[p4, k5] twice, [p5, k4] twice, p5, k5; rep from *, end p4, k5, p4, k5, k1 (selvage st).

Size X-Large Row 1 (RS) K1 (selvage st), k6, *[p5, k4] twice, p3, k4; rep from *, end p5, k4, p5, k6, k1 (selvage st).

Row 2 (all sizes) K the knit and p the purl sts. Cont in rib for chosen size for 1 1/4"/3cm. Change to larger needles.

Beg wide rib pat

Row 1 (RS) K1 (selvage st), p3 (4, 5, 6), *k11 (12, 13, 14), p8 (9, 10, 11); rep from *, end k11 (12, 13, 14), p3 (4, 5, 6), k1 (selvage st). Row 2 K the knit and p the pur. sts. Cont in wide rib pat until piece measures 15"/38cm from beg.

Armhole shaping

Bind off 2 (2, 3, 3) sts at beg of next 4 rows. Next row (RS) K2, k2tog, rib to last 4 sts, SKP, k2. Work 1 row even. Rep last 2 rows 3 (4, 5, 6) times more—79 (88, 93, 102) sts. Work even until armhole measures 8 (8½, 9, 9½)"/20.5 (21.5, 23, 24)em.

Neck and shoulder shaping

Bind off 7 (9, 10, 12) sts at beg of next 4 rows, AT SAME TIME, bind off center 39 (40, 41, 42) sts for neck and working both sides at once, bind off 6 sts from each neck edge once.

FRONT

Work as for back until armhole measures 6 ($6\frac{1}{2}$, 7, $7\frac{1}{2}$)"/15 (16.5, 18, 19)cm.

Neck shaping

Next row (RS) Work 27 (31, 33, 37) sts, join a 2nd ball of yarn and bind off center 25 (26, 27, 28) sts, work to end. Working both sides at once, bind off 6 sts from each neck edge once, dec 1 st every other row 7 times—14 (18, 20, 24) sts rem each side. Work even until armhole measures same as back. Bind off 7 (9, 10, 12) sts from each shoulder edge twice.

SLEEVES

With smaller needles, cast on 47 (50, 53, 56) sts. Work each size as foll: Size Small Row 1 (RS) K1 (selvage st), k2, p3, [k4, p4] twice, k3, [p4, k4] twice, p3, k2, k1 (selvage st). Size Medium Row 1 (RS) K1 (selvage st), *p3, k3; rep from *, end k1 (selvage st). Size Large Row 1 (RS) K1 (selvage st), p4, k5, p5, [k5, p4] twice, k5, p5, k5, p4, k1. Size X-Large Row 1 (RS) K1 (selvage st), k5,

p4, k4, p3, [k4, p5] twice, k4, p3, k4, p4, k5, k1 (selvage st).

Row 2 (all sizes) K the knit and p the purl sts. Cont in rib for chosen size for 1\\\4"/3cm. Change to larger needles.

Beg wide rib pat

Row 1 (RS) K1 (selvage st), k9, p8 (9, 10, 11), k11 (12, 13, 14), p8 (9, 10, 11), k9, k1 (selvage st). Row 2 K the knit and p the purl sts. Cont in wide rib pat, inc 1 st each side (working inc sts into rib pat) every 6th row 19 (19, 20, 20) times—85 (88, 93, 96) sts. Work even until piece measures 17 (17, 17½, 17½)"/43 (43, 44, 44) cm from beg.

Cap shaping


Bind off 2 (2, 3, 3) sts at beg of next 4 rows. Next row (RS) K2, k2tog, rib to last 4 sts, SKP, k2. Work 1 row even. Rep last 2 rows 15 (16, 16, 17) times more. Bind off 5 sts at beg of next 4 rows. Bind off rem 25 (26, 27, 28) sts.

FINISHING

Block pieces lightly to measurements. Do not block ribbing flat. Sew shoulder seams.

Neckband

With larger circular needle, pick up and k77 (77, 80, 80) sts evenly around neck edge. Join to work in rnds and pm to mark beg of rnd. Rnd 1 *K4, p3 (3, 4, 4); rep from * 10 (10, 9, 9) times more. Work in rib as established for ¾"/2cm. Change to smaller circular needle and work in rib for ¾"/2cm more. Bind off in rib. Set in sleeves. Sew side and sleeve seams. ❖



Sized for Small (Medium, Large, X-Large). Shown in size Small on page 37.



MATERIALS

Softer by Lane Cervinia/Plymouth Yarns 1¾oz/50g balls, each approx 165yd/150m (mohair/acrylic)

Pullover

- 4 (4, 5, 6) balls in #3302 lt blue (A) Cardigan
- 10 (11, 13, 14) balls in #3302 lt blue (A) Merino by Le Fibre Nobili/Plymouth Yarns, 13/40z/50g balls, each approx 174yd/158m (wool)
 Pullover
- 1 ball in #4028 med blue (B) Cardigan
- 2 balls in #4028 med blue (B) Both styles
- One pair size 7 (4.5mm) needles OR SIZE TO OBTAIN GAUGE
- One each crochet hook sizes D/3 and F/5 (3 and 4mm)

FINISHED MEASUREMENTS

Pullover

- Bust 34½ (38, 41, 44)"/87.5 (96.5, 104, 111.5)cm
- Length (excluding trim) 19 (20, 21, 22)"/48 (51, 53, 56)cm
- Upper arm 12 (13¼, 14½, 15½)"/30.5 (33.5, 37, 39.5)cm

Cardigan

- Bust (closed) 38½ (41, 44, 47)"/98 (104, 111.5, 119)cm
- Length (excluding trim) 19½ (20¼, 21¼, 22)"/49.5 (51.5, 54, 56)cm
- Upper arm 14½ (15½, 16½, 17½)"/37 (39.5, 42, 44.5)cm

GAUGE

20 sts and 28 rows to 4"/10cm over St st using A and size 7 (4.5mm) needles.
TAKE TIME TO CHECK YOUR GAUGE.

PULLOVER-BACK

With A, cast on 86 (94, 102, 110) sts. Work in St st for 11"/28cm.

Raglan armhole and neck shaping

Bind off 3 sts at beg of next 2 rows **Dec row (RS)** K2, SKP, k to last 4 sts, k2tog, k2. Rep dec row as foll: [every 4th row once, every 2nd row once] 6 (8, 9, 11) times, every 4th row 1 (0, 1, 0) time, AT SAME TIME, when armhole measures 5½ (6½, 7½, 8½)"/14 (16, 19, 22) cm, bind off center 28 (30, 32, 34) sts for neck and working both sides at once, bind off 3 sts from each neck edge twice and 2 sts twice. When armhole measures 7 (8, 9, 10)"/17 (20, 23, 26)cm, bind off rem 2 sts each side.

FRONT

Work as for back to armhole.

Raglan armhole and neck shaping

Work raglan shaping as for back, AT SAME TIME, shape neck when armhole measures 2³/₄ (3³/₄, 4³/₄, 5³/₄)"/7 (9.5, 12, 15)cm, shape neck as foll: Bind off center 16 (18, 20, 22) sts and work-

ing both sides at once, bind off 5 sts from each neck edge once, 4 sts once, 3 sts once, 2 sts once, 1 st twice. Then bind off rem 2 sts each side.

SLEEVES

With A, cast on 60 (66, 72, 78) sts. Work in St st for 3/4"/2cm.

Raglan cap shaping

Bind off 3 sts at beg of next 2 rows. Double dec row (RS) K2, SK2P, k to last 5 sts, k3tog, k2. Work 1 row even. Rep last 2 rows 2 (1, 1, 0) times more. Rep dec row as for back every RS row 20 (25, 28, 33) times. Bind off rem 2 sts.

FINISHING

Block pieces to measurements. Set in raglan sleeves into armholes. Sew side and sleeve seams.

Lower trim

With smaller hook and A, join at side seam and work an edge of sc evenly around lower edge. Cut A. Rnd 2 With B, ch 4, *skip 2 sc, work 1 dc in next sc, ch 2; rep from *, end join with sl st to beg ch. Change to larger hook. Rnd 3 Ch 4, 1 dc in ch-2sp, *ch 1, 2 dc in ch-2 sp; rep from * around. Join and fasten off. Rep 3 rnds of edge around sleeve cuff and neck edges.

CARDIGAN-BACK

With A, cast on 96 (102, 110, 118) sts. Work in St st for 12"/30cm.

Armhole and neck shaping

Bind off 2 sts at beg of next 2 rows. **Dec row (RS)** K1, p1, SKP, k to last 4 sts, k2tog, p1, k1. On WS rows, k2, p to last 2 sts, k2. Rep dec row [every 4th row once, every 2nd row once] 8 (9, 10, 11) times, every 4th row once more, AT SAME TIME, when armhole measures 6¾ (7½, 8½, 9¼)"/17 (19, 21.5, 23.5)cm, bind off center 24 (24, 24, 26) sts and working both sides at once, bind off 3 sts from each neck edge once, 2 sts once. Bind off rem 11 (12, 14, 16) sts each side for shoulders.

LEFT FRONT

With A, cast on 45 (49, 53, 57) sts. Work in St st for 12"/30cm.

Armhole shaping

Next row (RS) Bind off 2 sts, work to end. Work armhole shaping as for back at beg of RS rows, AT SAME TIME, end with a RS row and work neck shaping when armhole measures 5 1/4 (6, 7, 734)"/13.5 (15, 18, 19.5)cm as foll:

Neck shaping

Next row (WS) Bind off 5 (6, 6, 6) sts, work to end. Cont to shape neck binding off 4 sts once, 3 sts once, 2 sts once and 1 st once. When all armhole decs are completed, bind off rem 11 (12, 14, 16) sts for shoulder.

RIGHT FRONT

Work as for left front reversing shaping.

SLEEVES

With A, cast on 41 (41, 47, 47) sts. Work in St st inc 1 st each side every 6th row 16 (12, 12, 10) times, every 4th row 0 (6, 6, 10) times—73 (77, 83, 87) sts. Work even until piece measures 15 (15, 15½, 15½)"/38(38, 39.5, 39.5)cm from beg.

Cap shaping

Bind off 2 sts at beg of next 2 rows. Dec row (RS) K1, p1, SKP, k to last 4 sts, k2tog, p1, k1. Next row K2, p to last 2 sts, k2. Rep last 2 rows 23 (25, 28, 30) times more. Bind off 2 sts at beg of next 6 rows. Bind off rem 9 sts.

FINISHING

Block pieces to measurements. Set in sleeves. Sew side and sleeve seams.

Cuff edges

With smaller hook and A. join at seam and work an edge of sc evenly around cuff edge. Cut A.

Rnd 2 With B, ch 4, *skip 2 sc, work 1 dc in next sc, ch 2; rep from *, end join with sl st to beg ch. Change to larger hook. Rnd 3 Ch 4, 2 dc in ch-2 sp, 3 dc in each ch-2 sp around. Join with sl st to beg ch. Rnd 4 Ch 5, *skip 2 dc, 1 dc in next dc, ch 2; rep from *, end join with sl st to beg ch. Rnd 5 Rep rnd 3. Fasten off.

Front and lower edges

With rnds 1-5 as for sleeve cuff edge, only work 3 sc in lower corner of each front on first rnd and always place 1 dc, ch 1 and 1 dc in this corner edge.

Collar

Leaving the last 3 rnds of front edges free, work collar around neck edge, rnds 1-5 as on other edges.





CHART FOR PATTERN #14



65 NE 55 NE

Triangular shawl shown on page 38.



MATERIALS

Baby Kid Extra by Filatura Di Crosa/ Tahki Stacy Charles, Inc., .87oz/25g balls, each approx 268yd/245m (mohair/nylon)

- 3 balls in #344 pink
- Size 10 (6mm) circular needle 32"/80cm long OR SIZE TO OBTAIN GAUGE

FINISHED MEASUREMENTS

Approx 61" x 61"/155cm x 155 cm

GAUGE

18 sts and 24 rows to 4"/10cm over chart pat using size 10 (6mm) needles. TAKE TIME TO CHECK YOUR GAUGE.

NOTES

- 1) Circular needle is used to accommodate the large number of sts. Work back and forth as with straight needles.
- 2) When working chart, after row 63, cont to increase and work leaf pat into increased sts. When beg a new leaf pat, do not work the M1

increase at beg and end of the 2nd row of motif, as on rows 39 and 51.

SHAWL

Cast on 5 sts. Beg with a WS row, work in chart pat until 348 rows from beg and there are 275 sts. K 8 rows. Bind off loosely. &

Sized for Small (Medium, Large, X-Large). Shown in size Small on page 39.



MATERIALS

Fresco by Patons®, 14oz/50g balls, each approx 81yd/74m (acrylic)

- 12 (13, 13, 14) balls in #01420 pink
- One pair size 10 (6mm) needles OR SIZE TO OBTAIN GAUGE
- Size H/8 (5mm) crochet hook
- Six ¾"/20mm buttons
- Stitch markers

FINISHED MEASUREMENTS

- Bust (buttoned) 38 (41, 44, 47)"/96.5 (104, 111.5, 1119.5)cm
- Length 21 (22, 23, 24)"/53.5 (56, 58.5, 61)cm

 Upper arm 15 (15½, 16½, 17½)"/38 (39.5, 43, 44.5)cm

GAUGE

17 sts and 24 rows to 4"/10cm over chart pat using size 10 (6mm) needles. TAKE TIME TO CHECK YOUR GAUGE.

BACK

Cast on 81 (87, 93, 101) sts. P 1 row on WS.

Beg chart

Row 1 (RS) Beg with st 11 (8, 5, 1) work to st 21, work 9-st rep (sts 13 to 21) 7 (8, 8, 8) times, work sts 13 to 19 (0, 16, 20). Cont in pat as established until piece measures 131/2 (14, 141/2, 15)"/34.5 (35.5, 37, 38)cm from beg.

Armhole shaping

Bind off 3 (4, 5, 6) sts at beg of next 2 rows, 2 sts at beg of next 2 (2, 4, 4) rows, dec 1 st each side every other row 3 (4, 3, 4) times— 65 (67, 69, 73sts. Work even until armhole measures 6¾ (7¹/₄, 7³/₄, 8¹/₄)"/17 (18.5, 19.5, 21)cm.

Neck shaping

Next row (RS) Work 23 (23, 24, 25) sts, join 2nd ball of yarn and bind off center 19 (21, 21, 23) sts, work to end. Working both sides at once, bind off 2 sts from each neck edge twice. Work even until armhole measures 7½ (8, 8½, 9)"/19 (20.5, 21.5, 23)cm. Bind off rem 19 (19, 20, 21) sts each side for shoulders.

LEFT FRONT

Cast on 43 (46, 49, 53) sts. P 1 row on WS.

Beg chart

Row 1 (RS) Beg with st 11 (8, 5, 1) work to st 21, work 9-st rep 3 times, work st 13 once more, work last 4 sts in St st (front edge). Cont in pat as established until same length as back to armhole. Shape armhole at side edge (beg of RS rows) as for back-35 (36, 37, 39) sts. Work even until armhole measures 3½ (4, 4½, 5)"/9 (10.5, 11.5, 13)cm end with a RS row.

Neck shaping


Next row (WS) Bind off 5 sts (neck edge), work to end. Cont to bind off from neck edge 4 sts once, 3 sts once, 2 sts once, dec 1 st every other row 2 (3, 3, 4) times. Work even until same length as back. Bind off rem 19 (19, 20, 21) sts for shoulder. Place markers on front band for 6 buttons, the first one at 21/2"/6cm from lower edge, the last one at ½"/1.5cm below first neck dec, and the other 4 spaced evenly between.

RIGHT FRONT

Work to correspond to left front, reversing all shaping and chart pat as foll:


Beg chart


Row 1 (RS) Work first 4 sts in St st, beg with st 8 and work to st 21, work 9-st rep 2 (3, 3, 3) times, work sts 13 to 19 (0, 16, 20). Work buttonholes opposite markers on front edge as foll: Buttonhole row (RS) K1, yo, k2tog, work to end.



Stitch Key

- Kon RS, pon WS
- Pon RS, kon WS







400 800 500 CC

Sized for Small (Medium, Large, X-Large). Shown in size Small on page 41.



MATERIALS

Riviera Solid by Skacel Collection, 13/40z/50g balls, each approx 110yd/99m (cotton/linen/rayon)

- 12 (13, 14, 15) balls in #01 white
- One pair each sizes 9 and 10½ (5.5 and 6.5mm) needles OR SIZE TO OBTAIN GAUGE
- Six 1¼"/32mm buttons

FINISHED MEASUREMENTS

- Bust (buttoned) 42½ (45½, 48, 51½)"/108 (115.5, 122, 130.5)cm
- Length 28 (29, 30, 31)",71 (74, 76, 78.5)cm
- Upper arm 17 (18, 19, 20)"/43 (45.5, 48, 50.5)cm

GAUGE

17 sts and 22 rows to 4"./10cm over St st using size 9 (5.5mm) needles and 2 strands held tog. TAKE TIME TO CHECK YOUR GAUGE.

NOTE

Work with 2 strands of yarn held tog throughout.

BACK

With size 9 (5.5mm) needles and 2 strands held tog, cast on 90 (96, 102, 108) sts and work in k2, p2 rib for 1\%"/3cm. Work in St st until piece measures 19\% (20, 20\%, 21)\"/49.5 (51, 52, 53)cm from beg.

Armhole shaping

Bind off 6 sts at beg of next 2 rows—78 (84, 90, 96) sts. Work even unt:1 armhole measures 8 (8½, 9, 9½)"/20.5 (22, 23, 24.5)cm.

Neck shaping

Next row (RS) Work 28 (31, 33, 36) sts, join 2nd ball of yarn and bind off center 22 (22, 24, 24) sts, work to end. Working both sides at once, bind off 4 sts from each neck edge once. Work even until armhole measures 8½ (9, 9½, 10)"/21.5 (23, 24, 25.5)cm. Bind off rem 24 (27, 29, 32) sts each side for shoulders.

LEFT FRONT

With size 9 (5.5mm) needles and 2 strands held tog, cast on 50 (53, 56, 59) sts and work as foll: Next row (WS) P3, *k2, p2; rep from *, end p1 (k2, k1, p2). Next row Rib to last st, sl last st. Cont in rib and sl st at front edge as established for 1 \(^4\)"/3cm. Keeping 9 sts at front edge in rib and slip st, work rem sts in St st until same length as back to armhole. Shape armhole at side edge as for back—44 (47, 50, 53) sts. Work even until armhole measures 4\(^4\)(5, 5\(^4\)(6)\"/12 (13, 14, 15)cm, end with a RS row.

Neck shaping

Next row (WS) Bind off 9 (9, 10, 10) sts (neck edge), work to end. Cont to bind off from neck edge 3 sts once, 2 sts once, dec 1 st every other row 6 times. When same length as back, bind off rem 24 (27, 29, 32) sts for shoulder. Place markers on front edge for 6 buttons, the first one at 11/4"/3cm

from lower edge, the last one ½"/1.5cm below first neck dec, and the others spaced evenly between.

RIGHT FRONT


Work to correspond to left front, reversing all shaping and beg rib as foll: Next row (WS) Beg with pl (k2, k1, p2), work in rib to last 3 sts, end p3 Next row Sl first st, rib to end. Work buttonholes opposite markers on front edge as foll: Buttonhole row (RS) Work 3 sts, bind off 3 sts, work to end. On next row, cast on 3 sts over bound-off sts.

SLEEVES

With size 9 (5.5mm) needles and 2 strands held tog, cast on 48 (48, 52, 52) sts and work in k2, p2 rib for 1½"/3cm, inc 0 (0, 1, 1) st en last row—48 (48, 53, 53) sts. Work in St st, inc 1 st each side every 6th (6th, 6th, 4th) row 6 (13, 13, 3) times, every 8th (8th, 8th, 6th) row 6 (1, 1, 13) times—72 (76, 81, 85) sts. Work even until piece measures 18 (18½, 18½, 19)"/45.5 (47, 47, 48.5)cm from beg. Bind off.

FINISHING

Block pieces to measurements. Sew shoulder seams.



111/4 (111/4, 121/4, 121/4)"

Collar

With RS facing, pick up and k 84 (84, 88, 88) sts evenly around neck edge, beg and end at 5 sts in from front edges. Next row (WS) P3, *k2, p2; rep from *, end k2, p3. Cont in rib as established, slipping the first and last st of every RS row, until collar measures approx ¾"/2cm. Change to size 10½ (6.5mm) needles and cont in rib until the collar measures 6"/15cm. Bind off in rib. Sew top of sleeve to front and back armholes, sewing last 1½"/4cm at top of sleeve to bound-off armhole sts. Sew side and sleeve seams. Sew on buttons. ❖

18

CEL SEE SEE SE

Sized for X-Small (Small, Medium, Large). Shown in size Small on page 41.



MATERIALS

Classic Merino Wool by Patons®, 3½oz/100g balls, each approx 223yd/205m (wool)

- 11 (12, 12, 13) balls in #210 pink
- One pair each sizes 6 and 7 (4 and 4.5mm) needles OR SIZE TO OBTAIN GAUGE

FINISHED MEASUREMENTS

- Bust (closed) 36½ (39½, 43, 46)"/92.5 (100, 109, 116.5)cm
- Length 35½ (36½, 37, 38)"/90.5 (92.5, 94, 96.5)cm
- Upper arm 15½ (16½, 17, 18)"/39.5 (42, 43, 45.5)cm

GAUGE

24 sts and 28 rows to 4"/10cm over chart pat using size 7 (4.5mm) needles.
TAKE TIME TO CHECK YOUR GAUGE.

STITCH GLOSSARY

2-st RPC Slip 1 st to en and hold to back, k1, p1 from en. 2-st LPC Slip 1 st to en and hold to front, p1, k1 from en. 3-st RPC Slip 1 st to en and hold to back, k2, p1 from en. 3-st LPC Slip 2 sts to en and hold to front, p1, k2 from en.

BACK

With smaller needles, cast on 102 (112, 122, 132) sts. Work in garter st 1½"/4cm, inc 10 sts evenly spaced across last WS row—112 (122, 132, 142) sts. Change to larger needles.

Beg chart pat

Next row (RS) Using chart 1 (2, 1, 2), work first 6 sts of chart, work 10-st rep 10 (11, 12, 13) times, work last 6 sts of chart. Cont in chart pat through row 12, then cont to rep rows 3-12 until piece measures 27½ (28, 28, 28½)"/70 (71, 71, 72.5) cm from beg.

Armhole shaping

Bind off 2 sts at beg of next 10 rows—92 (102, 112, 122) sts. Work even until armhole measures 7 (7½, 8, 8½)"/18 (19, 20.5, 21.5)cm.

Neck shaping

Next row (RS) Work 33 (38, 42, 47) sts, join 2nd ball of yarn and bind off center 26 (26, 28, 28) sts, work to end. Working both sides at once, bind off from each neck edge 3 sts twice. Work

even until armhole measures 8 (8½, 9, 9½)"/20.5 (21.5, 23, 24) cm. Bind off rem 27 (32, 36, 41) sts each side for shoulders.

LEFT FRONT

With smaller needles, cast on 59 (64, 69, 74) sts and work in garter st for 1½"/4cm, inc 5 sts evenly spaced on last WS row—64 (69, 74, 79) sts. Change to larger needles.

Beg chart pat

Next row (RS) Using chart 1 (2, 1, 2), work first 6 sts of chart, work 10-st rep 5 (5, 6, 6) times, work next 0 (5, 0, 5) sts after rep, work 1 st in St st, cont 7 sts in garter st. Cont in chart pat through row 12, then cont to rep rows 3-12, and keep the 8 sts at front edge in garter and St st as established until same length as back to armhole. Shape armhole at side edge (beg of RS row) as for back—54 (59, 64, 69) sts. Work even until armhole measures 1½"/4cm, end with a RS row.

Neck and collar shaping

Next row (RS) Work to last 9 sts, k2tog, k to end. Next row (WS) Cast on 16 sts (for collar), k25, work pat to end. Next row (RS) Work to last 25 sts, k2tog, k to end. Work 1 row even. Rep last 2 rows 17 (17, 18, 18) times more. Work even until same length as back. Bird off 27 (32, 36, 41) sts from shoulder edge. Work even on rem 24 sts for collar for 3 (3, 3¼, 3¼)"/3 (8, 8.5, 8.5)cm, or until it fits along center back neck. Bind off.

RIGHT FRONT

Work to correspond to left front, reversing all shaping, casting on collar sts at beg of a RS row and working neck dees at beg of RS rows as foll: K23, SKP, work to end.

SLEEVES

Using smaller needles, cast on 46 (46, 56, 56) sts and work in garter st for 1½"/4cm, inc 6 sts evenly across last WS row—52 (52, 62, 62) sts. Change to larger needles.


Beg chart pat

Next row (RS) Using chart 1, work first 6 sts of chart, work 10-st rep 4 (4, 5, 5) times, work last 6 sts of chart. Cont in chart pat through row 12, then cont to rep rows 3-12, AT SAME TIME, inc 1 st each side (working inc sts into chart pat) every 4th row 14 (19, 10, 17) times, every 6th row 7 (4, 10, 6) times—94 (98, 102, 108) sts.

CHART I



CHART 2



Stitch Key

- Kon RS, pon WS
- 2-st LPC
- ☐ P on RS, k on WS

 2-st RPC
- 3-st LPC

3-st RPC

Work even until piece measures 16½ (17, 17, 17½)"/42 (43, 43, 44.5)cm from beg.

Cap shaping


Dec 1 st each side on next row, then every other row 5 times more. Bind off rem 82 (86, 90, 96) sts.


FINISHING


Block pieces to measurements. Sew shoulder seams. Set in sleeves. Sew side and sleeve seams. Sew the back center seam of the collar and attach the collar at the neck of the back piece.

Belt

With larger needles, cast on 12 sts and work in k2, p2 rib, slipping the first st of every row, until belt measures 59"/150cm. Bind off. ❖







88 88 C

Sized for X-Small (Small, Medium).
Shown in size Small on page 42.



MATERIALS

Provence by Classic Elite Yams, 3½oz/100g balls, each approx 256yd/233m (cotton)

- 1 (2, 2, 2) balls in #2657 blue (A)
- 1 ball each in #2623 red (B), #2633 yellow (C), #2682 green (D) and #2601 white (E)
- One pair size 5 (3.75mm) needles OR SIZE TO OBTAIN GAUGE
- Two size 5 (3.75mm) dpn

FINISHED MEASUREMENTS

- Bust 30 (34, 37, 40)"/76 (86.5, 94, 101.5)cm
- Length 19 (20, 20¹/₄, 21 ¹/₄)"/48.5 (50.5, 51.5, 54)cm

GAUGE

21 sts and 30 rows to 4"/10cm over St st using size 5 (3.75mm) needles.
TAKE TIME TO CHECK YOUR GAUGE.

STRIPE PATTERN


*2 rows A, 2 rows B, 2 rows C, 2 rows D, 1 row E; rep from * (9 rows) for stripe pat.

FRONT

With A, cast on 79 (89, 97, 105) sts. Work in k1, p1 rib and stripe pat for 4 rows. Work in St st and cont stripe pat until piece measures 12 (12½, 12½, 13)"/30.5 (31.5, 31.5, 33)cm from beg.

Armhole shaping

Bind off 2 (4, 5, 6) sts at beg of next 2 rows. Dec row (RS) Join A and work in k1, p1 rib over 5 sts, cont St st and stripe pat and k2tog, work stripe pat to last 7 sts, SKP, join a 2nd ball of A and work in k1, p1 rib over last 5 sts. Next row With A, rib 5 sts, cont St st and stripe pat to last 5 sts, with A, rib to end. Rep last 2 rows 11 (13, 14, 16) times more—51 (53, 57, 59) sts. With A, work all sts in k1, p1 rib for 2 rows. Next row (RS) With A, k8 and place sts on a holder, bind off center 35 (37, 41, 43) sts, with A, k to end and place sts on a holder.



I-cord ties

With dpn and A, k first 4 sts from first holder. *Slide sts to beg of needle to work next row from RS. Next row (RS) K4. Rep from * until I-cord measures 7"/18cm. Bind off. Work I-cord in same way over last 4 sts from first holder. Make two more ties with sts on 2nd holder.

BACK

Work as for front, omitting I-cord ties and binding off all sts after last 2 rows of rib.

FINISHING

Block pieces to measurements. Sew side seams. Sew bound-off edges of straps to back. *

20



Sized for X-Small (Small, Medium, Large, X-Large). Shown in size Small on page 43.



MATERIALS

Fantasy Naturale by Plymouth Yarn, 3½0z/100g balls, each approx 140yd/126m (cotton)

- 4 (4, 5, 5, 6) balls in #9706 multi or #4548 peach
- One pair size 10 (6mm) needles OR SIZE TO OBTAIN GAUGE

FINISHED MEASUREMENTS

- Bust 32 (35, 39, 42, 46)"/81.5 (89, 99, 106.5, 116.5)em
- Length 15 (16, 17½, 18, 19)"/38 (40.5, 44.5, 46, 48.5)cm

GAUGE

16 sts and 20 rows to 4"/10cm over St st using size 10 (6mm) needles.

TAKE TIME TO CHECK YOUR GAUGE.

STRIPE PATTERN

[Work in garter st for 3 (3, 3½, 3½, 3½)"/7.5 (7.5, 9, 9, 9)cm. Work in St st for 3 (3½, 3½, 3½, 4)"/7.5 (9, 9, 9, 10)cm] twice. Work in garter st to end of piece.

BACK

Cast on 64 (70, 78, 84, 92) sts. Work in stripe pat until 2nd garter section has been worked—piece measures 9 (9½, 10½, 10½, 11)"/22.5 (24, 27, 27, 28)cm from beg.

Armhole shaping


Cont in stripe pat as foll: Next row (RS) K2, k2tog, work to last 4 sts SKP, k2. Work 1 row even. Rep last 2 rows 2 (2, 3, 4, 5) times more—58 (64, 70, 74, 80) sts. Work even until armhole measures 6 (6½, 7, 7½, 8)"/15.5 (16.5, 17.5, 19, 20.5)cm. Bind off all sts.

FRONT

Work as for back.

FINISHING

Block pieces to measurements. Sew shoulder seams, leaving center 8½ (8½, 9, 9, 9½)"/21.5 (21.5, 23, 23, 24)cm unsewn for neck. Sew side seams.



21

@CC

Sized for X-Small (Small, Medium). Shown in size Small on page 44.



MATERIALS

Capri by Tahki Yarns/Tahki Stacy Charles, Inc., 13/40z/50g balls, each approx 52yd/48m (cotton)

- 4 (4, 5) balls in #009 aqua (A)
- 3 (4, 4) balls in #001 white (B)
- One pair size 11 (8mm) needles OR SIZE TO OBTAIN GAUGE

FINISHED MEASUREMENTS

- Bust 30 (32½, 36)"/76 (82.5, 91.5)cm
- Length 16½ (17, 17¼)"/42 (43, 44)cm

GAUGE

14 sts and 18 rows to 4"/10cm over St st using size 11 (8mm) needles.

TAKE TIME TO CHECK YOUR GAUGE.

STRIPE PATTERN

*6 rows A, 6 rows B; rep from * (12 rows) for stripe pat.

BACK

With A, cast on 53 (57, 63) sts and k 1 row on WS. Work in St st and stripe pat as foll: Next row (RS) K 10 (11, 13), yo, k 15 (16, 17), work double dec as foll: sl next 2 sts as if to k2tog, k next st, pass 2 slipped sts over k st, k 15 (16, 17), yo, k 10 (11, 13). P next row. Rep last 2 rows until piece measures 9½"/24cm from beg.

Armhole shaping

Keeping yo's and center double dec as before, bind off 0 (1, 3) sts at beg of next 2 rows. Dec row (RS) K3, SKP, k to last 5 sts, k2tog, k3. Next row K1, p to last st, k1. Rep last 2 rows 4 times more, then work dec row once more—41 (43, 45) sts. K next row on WS.

Neck shaping


Next row (RS) Work 4 sts, join 2nd ball of yarn and bind off center 33 (35, 37) sts, k to end. Work both sides at once for straps with A as foll: on WS rows, k1, p2, k1 and on RS rows p1, k2, p1. Cont as established until strap measures 41/4 (43/4, 5)"/11 (12, 13)cm. Bind off.

FRONT

Work as for back.

FINISHING

Block pieces to measurements. Sew the tops of the shoulder straps together and sew side seams.



88 88 III

Sized for X-Small (Small, Medium, Large, 1X, 2X, 3X). Shown in size Medium on page 44.



MATERIALS

Pronto by Berroco, Inc., 13/40z/50g balls, each approx 55yd/50m (cotton/acrylic)

- 14 (15, 16, 17, 19, 20, 21) balls in #4462 blue
- One pair size 10½ (6.5mm) needles OR SIZE TO OBTAIN GAUGE
- · 23 small clear beads
- · Sewing needle and thread to match yarn

FINISHED MEASUREMENTS

- Bust 35 (38, 40½, 44, 48½, 52, 56½)"/89 (96.5, 103, 111.5, 123, 132, 143.5)cm
- Length 21½ (22, 22½, 23, 23½, 24, 24½)"/54.5
 (56, 57, 58.5, 60, 61, 62)cm
- Upper arm 15 (16, 17, 17, 18, 18, 19)"/38 (40.5, 43, 43, 45.5, 45.5, 48)cm

GAUGE

 14 sts and 20 rows to 4"/10cm over pat st using size 10½ (6.5mm) needles.

TAKE TIME TO CHECK YOUR GAUGE.

MOSS STITCH

(over an odd number of sts)

Row 1 (RS) K1, *p1, k1; rep from * to end. Rows 2 and 4 Purl. Row 3 P1, *k1, p1; rep from * to end. Rep rows 1-4 for moss st.

BACK

Cast on 61 (67, 71, 77, 85, 91, 99) sts. Work in moss st for 14 (14, 14, 14½, 14½, 15, 15)"/35.5 (35.5, 35.5, 37, 37, 38, 38)cm.

Armhole shaping

Bind off 4 sts at beg of next 0 (0, 0, 0, 2, 2, 2) rows, 3 sts at beg of next 0 (0, 2, 4, 2, 4, 4) rows, 2 sts at beg of next 6 (6, 4, 2, 2, 0, 2) rows—49 (55, 57, 61, 67, 71, 75) sts. Work even until armhole measures 6¾ (7¼, 7¾, 7¾, 8¼, 8¼, 8¾)"/17 (18.5, 19.5, 19.5, 21, 21, 22)cm.

Neck shaping

Next row (RS) Work 13 (16, 17, 18, 21, 23, 24) sts, join 2nd ball of yarn and bind off center 23 (23, 23, 25, 25, 25, 27) sts, work to end. Work both sides at once until armhole measures 7½ (8, 8½, 8½, 9, 9, 9½)"/19 (20.5, 21.5, 21.5, 23, 23, 24)cm. Bind off sts each side for shoulders.

FRONT

Work as for back until armhole measures 4 (4½, 5, 5, 5½, 5½, 6)"/10 (11.5, 12.5, 12.5, 14, 14, 15)cm.

Neck shaping

Next row (RS) Work 17 (20, 21, 22, 25, 27, 28) sts, join 2nd ball of yarn and bind off center 15 (15, 15, 17, 17, 17, 19) sts, work to end. Working both sides at once, dec 1 st at each neck edge as foll: Work 1 row even. Next row (RS) Work to last 4 sts of first half, SKP, k2; on 2nd half, k2, k2tog, work to end. Next row Work to last 3 sts of first half, p3; on 2nd half p3, work to end. Rep last 2 rows 3 times more. Work even until same length as back to shoulders. Bind off rem 13 (16, 17, 18, 21, 23, 24) sts for shoulders.

SLEEVES


Cast on 35 (35, 37, 37, 37, 39, 39) sts. Work in moss st for 4"/10 cm, then inc 1 st each side (working inc sts into pat) on next row then every 4th row 0 (5, 4, 3, 7, 3, 8) times, every 6th row 8 (5, 6, 7, 5, 8, 5) times—53 (57, 59, 59, 63, 63, 67) sts. Work even until piece measures 15 (15½, 16, 16½, 17, 17½, 18)"/38 (39.5, 40.5, 42, 43, 44.5, 45.5)cm from beg,


Cap shaping

Work same as back armhole shaping. Bind off rem 41 (45, 45, 43, 45, 43, 43) sts.

FINISHING

Block pieces to measurements. Sew shoulder seams. Set in sleeves. Sew side and sleeve seams. Attach beads to front and sleeves foll schematic for placement.





· Placement of bead

23

Sized for Small (Medium, Large, 1X, 2X, 3X). Shown in size Small on page 45.



MATERIALS

Fantasy Naturale by Plymouth Yarn, 3½0z/100g balls, each approx 140yd/126m (cotton)

- 7 (8, 8, 9, 10, 11) balls in #9706 multi
- One pair size 8 (5mm) needles OR SIZE TO OBTAIN GAUGE
- · Cable needle
- · Six %"/15mm buttons

FINISHED MEASUREMENTS

- Bust (buttoned) 38 (41, 44, 47, 50, 53)"/96.5 (104, 111.5, 119, 127, 134.5)cm
- Length 23½ (24, 25, 25½, 26½, 27)"/59.5 (60.5, 63.5, 65, 67, 68.5)cm

GAUGE

22 sts and 23 rows to 4"/10cm over chart pat using size 8 (5mm) needles.

TAKE TIME TO CHECK YOUR GAUGE.

STITCH GLOSSARY

2-st LC Sl 1 st to en and hold to *front*, k1, k1 from en. 2-st RC Sl 1 st to en and hold to *back*, k1, k1 from en.

BACK

Cast on 102 (110, 118, 126, 134, 142) sts. **Preparation row (WS)** K2, *p2, k2; rep from * to end.

Beg chart

Row 1 (RS) Work first 2 sts of chart, work 8-st rep 12 (13, 14, 15, 16, 17) times, work last 4 sts of chart. Cont in pat as established until piece measures 17 (17, 17½, 17½, 18, 18)"/43 (43, 44.5, 44.5, 45.5, 45.5) cm from beg.

Armhole shaping

Bind off 3 (4, 5, 6, 6, 7) sts at beg of next 2 rows. Next (dec) row (RS) K3, k2tog, work to last 5 sts SKP, k3. Work 1 row even. Rep last 2 rows 4 (5, 6, 7, 8, 9) times more—86 (90, 94, 98, 104, 108) sts. Work even until armhole measures 5½ (6, 6½, 7, 7½, 8)"/14 (15, 16.5, 18, 19, 20.5)cm.

Neck shaping

Next row (RS) Work 29 (30, 32, 33, 36, 38) sts, join 2nd ball of yarn and bind off center 28 (30 30, 32, 32, 32) sts, work to end. Working both sides at once, bind off 2 sts from each neck edge twice. Bind off rem 25 (26, 28, 29, 32, 34) sts each side for shoulders.

LEFT FRONT

Cast on 57 (61, 65, 69, 73, 77) sts. Preparation row (WS) P3, *k2, p2; rep from *, end k2.

Beg chart

Row 1 (RS) Work first 2 sts of chart, work 8-st rep 6 (7, 7, 8, 8, 9) times, work last 4 (0, 4, 0, 4, 0) sts of chart once, k3. Cont in pat as established, keeping 3 sts at front edge in St st, until piece measures 16 (16, 17, 17, 18, 18)"/40.5 (40.5, 43, 43, 45.5, 45.5)cm from beg.

Neck and armhole shaping

Note When same length as back to armhole,

work armhole decs at beg of RS rows as for back. Next row (RS) Work to last 8 sts, k3tog (neck dec), p2, k3. Work 1 row even. Rep last 2 rows 4 (5, 4, 3, 3, 2) times more. Next row (RS) Work to last 7sts, k2tog (neck dec), p2, k3. Work 1 row even. Rep last 2 rows 13 (12, 14, 17, 17, 19) times more. Work even until same length as back. Bind off rem 25 (26, 28, 29, 32, 34) sts for shoulder. Place markers on front edge for 6 buttons, the first one 2½"/6cm from lower edge, the last one just below first neck dec, and the others spaced evenly between.

RIGHT FRONT

Work to correspond to left front, reversing all shaping and pats as foll: Preparation row (WS) K2, *p2, k2; rep from *, end p3.

Beg chart


Row 1 (RS) K3, work first 2 sts of chart, work 8st rep 6 (7, 7, 8, 8, 9) times, work last 4 (0, 4, 0, 4, 0) sts of chart once.


Work buttonholes opposite markers on RS rows as foll: K3, yo, p2tog, work to end.


For neck shaping, work SK2P instead of k3tog and SKP instead of k2tog.

FINISHING

Block pieces to measurements. Sew shoulder and side seams. Sew on buttons.







Stitch Key

- ☐ Kon RS, p on WS
- Pon RS. k on WS

2-st RC

2-st LC

24

Sized for X-Small (Small, Medium, Large, X-Large). Shown in size Small on page 45.



MATERIALS

Fantasy Naturale by Plymouth Yarn, 3½oz/100g balls, each approx 140yd/126m (cotton)

- 4 (4, 5, 5, 6) balls in #9706 multi
- One pair size 10 (6mm) needles OR SIZE TO OBTAIN GAUGE
- Size 10 (6mm) circular needle 16"/40cm long
- · Stitch holders

FINISHED MEASUREMENTS

- Bust 31½ (34½, 37½, 41½, 45½)"/80 (87.5, 95, 105.5, 115.5)em
- Length 18¼ (18¾, 19¼, 20½, 21½)"/46 (47.5, 50, 52, 54.5)cm

GAUGE

16 sts and 20 rows to 4"/10cm over St st using size 10 (6mm) needles.

TAKE TIME TO CHECK YOUR GAUGE.

BACK

Cast on 65 (71, 77, 85, 93) sts. K 3 rows. Work in St st until piece measures 4"/10cm from beg. Next (dec) row (RS) K15, k2tog, work to last 17 sts, SKP, k15. Work 9 rows even. Rep dec row on next RS row—61 (67, 73, 81, 89) sts. Work even until piece measures 9":23cm from beg. Next (inc) row (RS) K15, M1, work to last 15 sts, M1, k15—63 (69, 75, 83, 91) sts. Work even until piece measures 11½ (11½, 12, 12, 12½, 13)"/29 (29, 30.5, 31.5, 33)cm from beg.

Armhole shaping


Bind off 2 (3, 3, 4, 4) sts at beg of next 2 rows. Mark center st. Next (dec) row (RS) K2, k2tog, k to 1 st before center st, k3tog, k to last 4 sts SKP, k2. Work 3 rows even. Rep last 4 rows 7 (7, 7, 8, 6) times more, then rep dec row every other row 0 (1, 2, 2, 6) times—27 (27, 29, 31, 31) sts. Place sts on a holder.

FRONT

Work as for back.

FINISHING

Block pieces to measurements.




Collar

With RS facing and circular needle, k sts from front and back holders, inc 2 sts at each shoulder edge—58 (58, 62, 66, 66) sts. Join and work in St st for 4 rnds. Next rnd *K1, yo; rep from * around. K next rnd, dropping yo's. Rep last 2 rnds until collar measures 7"/18cm. Bind off all sts loosely. Sew side seams. ❖

25

GES BEST SEED

Sized for Man's Small (Medium, Large, X-Large). Shown in size Medium on page 46.



MATERIALS

Cabana by Reynolds/JCA, 3½ oz/100g balls, each approx 135yd/124m (cotton/acrylic)

- 10 (10, 11, 12) balls in #833 green heather (MC)
- 2 balls in #950 wheat (CC)
- One each size 9 (5.5mm) circular knitting needles, 16"/40cm long and 24"/60cm long OR SIZE TO OBTAIN GAUGE
- One set (4) size 9 (5.5mm) dpn
- · Stitch holders and markers

FINISHED MEASUREMENTS

- Chest 44 (48, 52, 54½)"/111.5 (122, 132, 138.5)cm
- Length 27½ (28. 29, 29½)"/70 (71, 73.5, 75)cm
- Upper arm 18½ (19½, 20½, 21½)"/47 (49.5, 52, 54.5)cm

GAUGES

- 15 sts and 21 rnds to 4"/10cm over St st using size 9 (5.5mm) needle.
- 17 sts and 20 mds to 4"/10cm over chart pat using size 9 (5.5mm) needle.

TAKE TIME TO CHECK YOUR GAUGES.

NOTE

Body and sleeves are each worked in one piece to the underarms.

TWISTED RIB

(multiple of 2 sts)

Rnd 1 *K1 tbl, p1; rep from * around. Rep rnd 1 for twisted rib.

BODY

With longer needle and MC, cast on 164 (180, 194, 204) sts. Join, taking care not to twist sts on needle. Place marker for beg of rnd and slip marker every rnd. Work around in twisted rib for 2½"/6.5cm. Cont in St st until piece measures 17 (17, 17½, 17½)"/43 (43, 44.5, 44.5)em from beg. Next rnd K 92 (100, 107, 112) sts, sl last 10 sts onto holder for underarm, k to within last 5 sts, sl these sts and first 5 sts at beg of rnd onto holder for underarm, dropping marker. Do not cut yarn.

SLEEVES

With dpn and MC, cast on 40 (44, 44, 48) sts. Join and mark for beg of rnds. Work around in twisted rib for 2½"/6.5cm. Cont in St st and work as foll: Inc rnd K1, M1, k to last st, end M1, k1. Rep this rnd every 4th rnd 8 (8, 9, 9) times more, every 6th rnd 4 times, then every 8th rnd twice (changing to shorter needle as needed)—70 (74, 76, 80) sts.

Work even until piece measures 19 (19, 19½, 20)"/48 (48, 49.5, 51)cm from beg. SI last 5 sts and first 5 sts onto holder for underarm—60 (64, 66, 70) sts. SI sts of first sleeve onto a spare needle.

YOKE

With longer needle and MC, k 60 (64, 66, 70) sts of first sleeve, 72 (80, 87, 92) front sts, 60 (64, 66, 70) sts of second sleeve, then 72 (80, 87, 92) back sts—264 (288, 306, 324) sts. Place marker for beg of rnds. Work even for 7 (10, 10, 10) rnds.

Dec rnd *K 9 (7, 7, 7), k2tog; rep from * around—240 (256, 272, 288) sts.

Beg chart

Work rows 1-42 of chart working decs as indicated on rows 16, 27, 31, 36 and 41 (changing to shorter needle as needed)—90 (96, 102, 108) sts. With MC only, work even for 1 rnd.

Dec rnd *K 7 (4, 15, 16), k2 tog; rep from * around—80 (80, 96, 102) sts.

For sizes Large and X-Large only

Work even for 1 md.

Dec rnd *K 6 (15), k2tog; rep from * around—84 (96) sts.

For size X-Large only


Work even for 1 md.

Dec rnd *K6, k2tog; rep from * around—84 sts. For all sizes

Work in twisted rib for 1½"/4cm. Bind off loosely in rib.


FINISHING

Block pieces to measurements. Using Kitchener st, weave sts tog at underarms.



Stitch and Color Key

- Green heather (MC)
- Wheat (CC)
- K2tog using CC




Ssk using CC

K2tog using MC

Ssk using MC

☐ No stitch


SCHEMATIC FOR PATTERN #25



26

400 000 000 ···

Man's pullover sized for Small/Medium, (Large/ X-Large). Shown in size Large/X-Large on page 47.



MATERIALS

Super Cotton by Skacel Collection, 1¾oz/50g balls, each approx 100yd/90m (cotton/polyester)

- 12 (13) balls in #27 navy (A)
- 2 balls in #26 cranberry (B)
- 4 balls in #23 orange (C)
- One pair each sizes 3 and 10 (5 and 6mm) needles OR SIZE TO OBTAIN GAUGE
- Size 8 (5mm) circular needle, 29"/74cm long and stitch holders

FINISHED MEASUREMENTS

- · Chest 46 (49)"/117 (124.5)cm
- Length 27 (28)"/68.5 (71)cm
- Upper arm 16½ (17½) ½2 (44.5)em

GAUGE

16 sts and 24 rows to 4 10cm over St st using larger needles.

TAKE TIME TO CHECK YOUR GAUGE.

STRIPE PATTERN

Working in St st, *work 4 rows B, 2 rows A, 14 rows C, 2 rows A, 4 rows B*, 20 rows A, rep between *'s once more. These 72 rows form stripe pat. Work even with A after completing stripes.

NOTE

Lower slit edge will be trimmed with rib pat after pieces are knit.

BACK

With larger needles and A, cast on 84 (90) sts.

Row 1 (RS) Knit. Row 2 K1 (selvage st), p to last st, k1 (selvage st). Rep these 2 rows until piece measures 5"/12.5cm from beg (end of side slits). Cast on 5 sts at beg of next 2 rows—94 (100) sts. Cont with k1 selvage sts at each end of row, work in St st for 6 rows more. Then work in stripe pat

until 2nd 14-row stripe in C is completed. Piece measures approx 17"/43cm from beg.

Armhole shaping

Bind off 3 sts at beg of next 2 rows. Dec row 1 (RS) K to last 5 sts, SKP, k3. Dec row 2 (WS) K1, p to last 5 sts, p2tog, p2, k1. Rep these 2 rows 4 times more—78 (84) sts. Work even until armhole measures 6 (7)"/15 (18)cm.

Shoulder shaping

Note To give a smooth line to the frequent bindoffs that form the shoulders, work stepped bindoff method as foll: on row preceding the bindoff, sl the last st of row then on the bind-off row, simply pass the first (slipped) st over the 2nd st forming the first bound-off st and giving a smooth transition. Bind off 1 st at beg of next 4 rows, 2 sts at beg of next 4 (2) rows, 3 sts at beg of next 4 rows, 4 sts at beg of next 6 (8) rows— 30 (32) sts. Sl sts to a holder.

FRONT

Work as for back until armhole measures 4 (5)"/10 (12.5)cm.

Neck shaping

Next row (RS) Work 35 (38) sts, SKP, k2; join a 2nd ball of yarn and k to end. Next row (WS) K1, p to last 4 sts of first side, p2tog, p1, k1; on 2nd side, k1, p to end. Rep these 2 rows for V-neck shaping 4 times more. Then from each neck edge, bind off 3 (4) sts once, 3 sts once, 2 sts twice, AT SAME TIME, when armhole measures 5 (6)"/12.5 (15)cm, bind off for shoulders as on back.

RIGHT SLEEVE

With smaller needles and A, cast on 39 (41) sts. Work in k1, p1 rib for 1½"/3cm, dec 1 st on last WS row—38 (40) sts. Change to larger needles and cont in St st with A for 36 (40) rows more, then work stripe pat as on back AT SAME TIME inc 1 st each side (by M1 inside of selvage sts) every 6th row 15 (16) times—68 (72) sts. Work even until the 2nd 14-row stripe in C is completed. Piece measures approx 19 (15½)"/48 (49.5)cm from beg.

Cap shaping

Bind off 3 sts at beg of next 2 rows. Dec row 1 (RS) K to last 4 sts, SK2P, k1. Dec row 2 (WS) K1, p to last 4 sts, p3tog, k1. Rep rows 1 and 2 twice more—50 (54) sts. Dec row 3 (RS) K to last 3 sts, SKP, k1. Dec row 4 (WS) K1, p to last 3 sts, p2tog, k1. Rep dec rows 3 and 4 9 (11) times more. Rep dec rows 1 and 2 three times more—18 sts. Work even on these sts until side of piece fits across the front shoulder to neck shaping, approx 5"/12.5cm more.

Neck shaping

Note Use the stepped bound-off method as on back. Next row (RS) Bind off 6 sts, k to end. Work 1 row even. Bind off 6 sts at beg of next 2 RS rows twice more.

LEFT SLEEVE

Work as for right sleeve, reversing top shaping by binding off at beg of WS rows.

FINISHING

Block pieces lightly to measurements.

Lower front trim

With circular needle and A, pick up and k 32 sts from side slit edge, 1 st in corner, 84 (90) sts from lower edge, 1 st in corner, 32 sts from side slit edge. Row 1 (WS) [P1, k1] 16 times, M1, pm, p1, pm, M1, inc 7 sts across the center 84 (90) sts, M1, pm, p1, pm, M1, rib to end. Row 2 Work even in rib. Row 3 (WS) * Work rib to marker, M1, p1, M1; rep from * once, rib to end. Row 4 Work even in rib. Row 5 Rep row 3. Bind off in rib. Set sleeves into armholes. Sew side and sleeve seams omitting slits.

Note First the V-neck is trimmed then sts are picked up around the neck for neckband.


V-neck trim

With smaller needles and A, pick up and k 22 sts around V-neck only.

Row 1 (WS) K10, k2tog (center of V-neck), k10. Row 2 Purl. Bind off knitwise.

Neckband


With circular needle and A, beg and end at edge of V-neck trim, pick up and k 86 (90) sts evenly around neck edge. Row 1 (WS) Knit, dec 14 sts evenly spaced. Row 2 Purl, dec 1 st at each shoulder. Row 3 Knit. Bind off purlwise.



27

GR 188

Sized for Small (Medium, Large, X-Large). Shown in size Medium on page 48.



MATERIALS

Denim Silk by Berrocc, Inc., 13/40z/50g balls, each approx 105yd/97m (silk/rayon)

- 2 (2, 3, 3) balls each in #1405 brown (A), #1403 taupe (B), #1401 tan (C) and #1402 mustard (D)
- One pair size 7 (4.5mm) needles OR SIZE TO OBTAIN GAUGE
- Size 7 (4.5mm) circular needle 16"/40cm long
- · Size 7 (4.5mm) crochet hook

FINISHED MEASUREMENTS

- Chest 36 (40½, 45, 49)"/91.5 (103, 114, 124.5)cm
- Length 25 (25½, 26, 26½)"/63.5 (65, 66, 67)cm

GAUGE

18 sts and 26 rows to 4"/10cm over St st using size 7 (4.5mm) needles.

TAKE TIME TO CHECK YOUR GAUGE.

STRIPE PATTERN

20 rows A, 20 rows B, 20 rows C, 20 rows D. Rep these 80 rows for stripe pat.

BACK

With A, cast on 81 (91, 101, 111) sts. P I row on WS. Work in St st and stripe pat, work 80 rows stripe pat, work 20 rows A. Piece measures approx 15½"/39.5cm from beg.

Armhole shaping

Next row (RS) Cont in stripe pat, bind off 6 (7, 8, 9) sts at beg of next 4 rows—57 (63, 69, 75) sts. Work even until armhole measures 8½ (9, 9½, 10)"/21.5 (23, 24, 25.5)cm

Shoulder shaping

Bind off 4 (4, 5, 5) sts at beg of next 4 (6, 4, 4) rows, 3 (0, 3, 4) sts at beg of next 2 (0, 2, 2) rows. Bind off rem 35 (39, 43, 47) sts for back neck.

FRONT

Work as for back until piece measures 191/2 (20, 201/2, 21)11/49.5 (51, 52, 53)cm from beg.

Neck and shoulder shaping

Next row (RS) Work 28 (31, 34, 37) sts, place center st on holder, join a 2nd ball of yarn and work to end. Working both sides at once, bind off from each neck edge 1 st every row 4 (8, 12, 16) times, every other row 13 (11, 9, 7) times. Work even until piece measures same as back to shoulders. Shape shoulders as for back.

FINISHING


Block pieces to measurements. Sew shoulder seams.

Neckband

With circular needle and A, beg at center back, pick up and k43 (45, 47, 49) sts along ½ back neck and left front neck edge, k center st from holder and mark this st, pick up and k43 (45, 47, 49) sts along right front neck and second half of back neck—87 (91, 95, 99) sts. Join and work as foll:

Next rnd Beg with p1(k1, p1, k1), work in k2, p2 rib to center st, ending with k2. K center st, beg with k2, work k2, p2 rib to end of rnd. Cont in rib as established, dec 1 st each side of center st every rnd until band measures 1"/2.5cm. Bind off in rib. Sew side seams.

With crochet hook and A, work sc evenly around armholes and lower edge.



28

Afghan shown on page 49.



MATERIALS

Highland Style by Harrisville Knitting Yarn, 3½ oz/100g balls, each approx 200yd/183m (wool)

- 5 skeins in #43 sand (MC)
- 3 skeins each in #36 garnet (A), #4 gold
 (B) and #50 black (C)
- 1 skein each in #7 tundra (D) and #31 cobalt (E)
- One each sizes 6 and 7 (4 and 4.5mm) circular needles OR SIZE TO OBTAIN GAUGE
- Bobbins

FINISHED MEASUREMENTS

Approx 52"/132cm wide x 70"/178cm long

GAUGE

20 sts and 28 rows to 4"/10cm over St st using larger needles.

TAKE TIME TO CHECK YOUR GAUGE.

NOTES

- 1) When working from chart, use a separate bobbin of yarn for each large block of color.
- 2) When changing colors, twist yarns to prevent holes in work.
- 3) First half of afghan is worked by turning all charts upside down. Beg at left corner of top left chart and work across to top right corner. Working each subsequent row, work to bottom right corner. For the second half, turn all charts and work from bottom right corner to top left corner.

- 4) Circular needle is used to accommodate the large number of sts.
- 5) To receive a copy of the charts, log on to our website: www.fceasyknitting.com or send a SASE with \$1.00 postage and handling to: Family Circle Easy Knitting, Pattern #28, 233 Spring Street, 8th floor, New York, NY 10013.

AFGHAN

With smaller needle and MC, cast on 238 sts. Work back and forth in St st, inc 1 st each side every RS row 4 times—246 sts. K next WS row for turning ridge. Change to larger needles. Cont in St st with MC for 40 rows. Cont as foll: 30 sts MC, 186 sts chart, 30 sts MC. Cont as established, working charts (as described in the Notes) until all rows of chart have been worked. Cont with MC only for 40 rows. P next RS row for turning ridge. Cont in St st, dec 1 st each side every RS row 4 times. Bind off rem 238 sts on last RS row.

Side bands

With RS facing, smaller needles and MC, pick up and k 400 sts evenly along one side edge. K I row on WS for turning ridge. Cont in St st, dec I st each side every RS row 4 times. Bind off loosely cn last RS row.

Work in same way along other side.

FINISHING

Duplicate st "K" and small heart with C in corners foll chart (see photo for placement). Fold all edges to WS at turning ridge and sew in place, sewing mitred corners tog.

29

GEI 988 988 []

Afghan and pillows shown on page 50.



MATERIALS

Cotton Classic by Tahki Yarns/Tahki Stacy Charles, Inc. 13/40z/50g skeins, each approx 108yd/100m (cotton)

- 5 skeins in #3722 green (MC)
- 4 skeins each in #3450 dk pink and #3454 pink
- 3 skeins each in #3723 lime, #3537 yellow and #3486 orange
- 2 skeins in #3449 med pink
- One pair size 6 (4mm) needles OR SIZE TO OBTAIN GAUGE
- · Size G/6 (4mm) crochet hook
- · Stitch holder and fiberfill

FINISHED MEASUREMENTS

Afghan 30" x 60"/76cm x 152.5cm

GAUGE

22 sts and 29 rows to 4"/10cm over St st using size 6 (4mm) needles.

TAKE TIME TO CHECK YOUR GAUGE.

NOTES

1) Work flower petals and centers in desired colors.




CHART FOR PILLOW

CHARTS FOR PATTERN #29

AFGHAN SOLID BLOCK

(make 9 in any color)
Cast on 55 sts. Work in St st until piece measures 10"/25.5cm from beg. Bind off.

FLOWER BLOCK

(make 9 in desired colors)

With MC, cast on 55 sts. Work in St st and foll chart, changing colors as noted. Work through row 74. Bind off.

FINISHING

Block squares. Sew blocks tog, 3 across and 6 down (see photo). With crochet hook, work 1 md of backward single crochet around outside edges.

PILLOW

(make 2 for each pillow)

Cast on 16 sts. Work in St st and foll chart, working bottom left petal through row 14. Place sts on holder. Cast on 16 sts and work bottom right petal through row 14. Row 15 Work across sts on needle, cast on 2 sts, work across sts on holder—56 sts. Cont to work chart through row 88. Bind off.

FINISHING

Block pieces. With WS tog, sew front to back. Stuff with fiberfill.



451 500 500 C

Cardigan sized for Child's 2 (4, 6), hat for size 2 (4/6). Shown in size 2 on page 51.



CHART FOR AFGHAN A B MC MC 25 59 40 20 20 10 10

MATERIALS

Cotton Classic II by Tahki

Yarns/Tahki•Stacy Charles, Inc., 1¾oz/50g skeins, each approx 74yd/68m (cotton) Cardigan

- 5 (5, 6) skeins in #2882 periwinkle (A)
- 1 skein each in #2815 turquoise (B) and #2726 green (C)

Cotton Classic by Tahki Yarns/Tahki•Stacy Charles, Inc. 140z/50g skeins, each approx 108yd/100m (cotton)

- 1 skein each in 3449 pink (D)
 Hat
- 1 skein each (or leftovers from cardigan) in all the colors from the cardigan
 For both
- One pair each sizes 5 and 7 (3.75 and 4.5mm) needles OR SIZE TO OBTAIN GAUGE
- Four ½"/13mm decorative shank buttons for front bands of cardigan
- Four ¼"/6mm 2-hole buttons for door knobs for cardigan (one button for hat)
- · Small amount of yellow felt for doors

FINISHED MEASUREMENTS

Cardigan

- Chest (buttoned) 24½ (27½, 30½)"/62 (70, 77.5)cm
- Length 11 (12½, 14)"/28 (32, 35.5)cm
- Upper arm 10 (12, 13)"/25.5 (30.5, 33)cm
- Circumference 17 (18½)"/43 (47)cm

GAUGE

18 sts and 22 rows to 4"/10cm over St st using larger needles.

TAKE TIME TO CHECK YOUR GAUGE.

NOTE

Use a separate bobbin for each block of color. When changing colors, twist yarns on WS to prevent holes in the work.

BACK

With smaller needles and A, cast on 54 (61, 68) sts. Work in k1, p1 rib for 8 rows. Change to larger needles and work in St st until piece measures 11 (121/2, 14)"/28 (32, 35.5)cm from beg. Bind off all sts.

LEFT FRONT

With smaller needles and A, cast on 26 (29, 33) sts. Work in k1, p1 rib for 8 rows. Change to larger needles and work in St st for 2 rows. Change to C and work for 2 rows.

Beg chart 1

Row 1 (RS) Work 6 (7, 9) sts with C, work next 14 sts foll row 1 of chart 1, work with C to end. Cut C, and work rem sts outside of chart with A until all chart rows have been worked then cont with A only to end of piece, AT SAME TIME, when piece measures $8\frac{1}{2}$ (10, $11\frac{1}{2}$)"/21.5 (25.5, 29)cm from beg, end with a RS rows and work as foll:

Neck shaping

Next row (WS) Bind off 4 (5, 6) sts (neck edge), work to end. Cont to bind off from neck edge 2 sts twice, dec 1 st every other row twice. Work even until same length as back. Bind off rem 16 (18, 21) sts for shoulder.

RIGHT FRONT

Work to correspond to left front, reversing neck shaping and working one more C stripe and chart rep at 7 rows above first motif.

SLEEVES

With smaller needles and A, cast on 30 (32, 34) sts and work in k1, p1 rib for 8 rows, inc 4 sts evenly across last WS row-34 (36, 38) sts. Change to larger needles and work in St st, inc 1 st each side every 6th row 4th row 0 (5, 5) times, every 6th row 6 (4, 5) times-46 (54, 58) sts. Work even until piece measures 9 (10, 11)"/23 (25.5, 28)cm from beg. Bind off all sts.

FINISHING

Block pieces to measurements. Sew shoulder seams. Place markers 5 (6, 6%)"/12.5 (15.5,16.5)cm down from shoulders on front and back. Sew tops of sleeves to front and back between markers. Sew side and sleeve seams.

Neckband


With RS facing, smaller needles and A, pick up and k 58 (64, 68) sts evenly around neck edge. Work in k, 1 p1 rib for 7 rows. Bind off in rib.


Buttonband


With RS facing, smaller needles and A, pick up and k 52 (60, 68) sts evenly along left front edge, including side of neckband. Work in k1, p1 rib for 7 rows. Bind off in rib. Place markers on band for 4 buttons, the first and last ones at 1"/2.5cm from edges, the other two spaced evenly between.


Buttonhole band


Work as for buttonband along right front edge, working buttonholes opposite markers on the 4th rib row as foll: Bind off 2 sts on











Stitch Key

... Chain stitch with A

Periwinkle (A)

Turquoise (B)

Pink (D)

next row, then east on 2 sts over bound-off sts on the foll row.

Sew decorative buttons to buttonband.

Embellishments

Cut yellow felt foll template for door and sew to house as shown in photo. Sew on small button for doorknob.

HAT

With smaller needles and C, 77 (84) sts. Work in k1, p1 rib for 7 rows. Change to larger needles and B. Work in St st for 6 rows.

Beg chart 2

Next row (RS) Work 23 (26) sts with B, work next 8 sts foll chart 2, work 15 (16) sts with B, work next 8 sts foll chart 2, work 23 (26) sts with B. Cont in pat as established until through chart row 8, then cont with B only for 4 rows.

Top shaping

For size 4/6 only: Next row (RS) [K10, k2tog] 7 times—77 sts. Work 1 row even.

For both sizes: Next row (RS) [K9, k2tog] 7 times—70 sts. Work 1 row even. Change to D. Next row [K8, k2tog] 7 times-63 sts. Work 1 row even. Cont in this way to dec 7 sts every other row (having 1 less st between decs every dec row) until there are 14 sts. K2tog across last RS row. Cut yarn and draw through rem 7 sts. Pull tog tightly and secure.

FINISHING

Block to measurements. Sew back seam.

Embellishments

Cut yellow felt foll template for door and sew to hat between two windows as shown in photo. Sew on small button for doorknob.

For chimney, with larger needles and B, cast on 6 sts. Work in St st for 6 rows. Cut yarn and draw through sts on needle. Pull tog tightly and secure. Sew seam. Sew to hat, at the 6th D row and lined up with the right edge of the left window.

For window pane, cut a strand of A and separate to use 3 strands. Chain stitch panes are shown on chart 2 and in photo. *

Cardigan


template

(Actual


felt

size)





Hat felt template (Actual size)



400 HB HB |

Sized for Child's 2 (4, 6). Shown in size 4 on pages 52 and 53.



MATERIALS

Provence by Classic Elite Yarns, 4oz/125g skeins, each approx 256yd/236m (cotton)

- 2 skeins in #2673 buff (MC)
- 1 skein each in #2678 brown (A), #2647 blue (B), #2681 green (C) and #2682 olive (D)
- One pair each sizes 3 and 5 (3.25 and 3.75mm) needles OR SIZE TO OBTAIN GAUGE
- Size 3 (3.25mm) circular needle 16"/40cm long
- · 9 small buttons or beads for eyes
- · Bobbins

FINISHED MEASUREMENTS

- Chest 26 (28, 30)"/66 (71, 76)cm
- · Length 13 (131/2, 14)"/33 (34, 36.5)em
- Upper arm 11 (13, 14)"/28 (33, 35.5)em

GAUGE

22 sts and 30 rows to 4"/10cm over St st using size 6 (4mm) needles.

TAKE TIME TO CHECK YOUR GAUGE.

NOTES

- Use a separate bobbin for each block of color.
 When changing colors, twist yarns on WS to prevent holes in the work.
- If desired, small areas and extra details can be worked in duplicate stitch or embroidery after pieces are knit.
- 3) Eyes can be sewn on afterwards or beads can be knitted on as foll: Slide a bead onto small steel crochet hook, then use crochet hook to remove the appropriate st from the LH needle. Pull st through the bead and replace on LH needle.

BACK

With smaller needles and A, cast on 67 (71, 77) sts. Knit 2 rows each A, B, A, MC, A. Change to larger needles.

Beg chart for back


Row 1 (RS) With A, k and inc 5 sts evenly across—72 (76, 82) sts. Cont to foll chart, beg and end as indicated for motifs, through chart row 81 then work with B only, if necessary, until piece measures 13 (13½, 14)"/33 (34, 36.5)cm from beg. Bind off all sts.

FRONT

Work as for back, foll front chart, through row 70 (72, 72), then cont with B only until piece measures 10½ (11, 11½)"/26.5 (27.5, 29)cm from beg.

Neck shaping

Next row (RS) Work 31 (32, 35) sts, join 2nd ball of yarn and bind off center 10 (12, 12) sts, work to end. Working both sides at once, bind off from each neck edge 3 sts once, 2 sts twice, dec 1 st every other row 4 times. Work even until same length as back. Bind off rem 20 (21, 24) sts each side for shoulders.



SLEEVES

Note Sleeve charts are drawn for size 6. With smaller needles and A, cast on 36 (38, 40) sts. Work garter st stripes as for back. Change to larger needles and A (for right sleeve) or MC (for left sleeve), inc 5 sts evenly across first row—41 (43, 45) sts. Work incs as foll: Work 8 rows even, then inc 1 st each side on next row then every 6th (4th, 4th) row 9 (13, 15) times more—61 (71, 77) sts. For right sleeve, work chart through row 56 then cont with B to end; for left sleeve, work with MC for 40 rows than work 30 rows of chart, then cont with B to end. Work even until piece measures 10 (11, 11½) "/25.5 (28, 29)cm from beg. Bind off.

FINISHING

Block pieces to measurements. Sew on eyes. Add 3-dimensional ridges and scales to each lizard by picking up sts along center back of each motif and working garter st with smaller size needles. For low ridges, pick up and knit 2 rows then bind off all sts. For large lizard on sweater back, pick up 22 sts and knit 2 rows. Bind off 2 sts at the beg of the foll rows until 6 sts rem. Bind off all 6 sts. For triangular points on front lizard, pick up 5 sts. K 2 rows. [Dec 1 st at each edge. K 2 rows] twice. Pull yarn through last stitch. Sew shoulder seams.


Pocket

With MC and smaller needles, cast on 18 sts. Work garter st stripes as foll: [2 rows each A, B, A, MC] 3 times, 2 rows A Bind off loosely. Sew pocket to left sweater front below partial lizard.

Neckband

With RS facing, circular needle and B, pick up and k 70 (74, 74) sts evenly around neck edge. Work garter st stripes as foll: 2 rows each B, A, MC, A. Bind off loosely with A.

SCHEMATIC FOR PATTERN #31, 32 & 33



Place markers 5½ (6½, 7)"/14 (16.5, 17.5)cm down from shoulders on front and back. Sew tops of sleeves to front and back between markers. Sew side and sleeve seams.

32

400 200 800

Sized for Child's 2 (4, 6). Shown in size 4 on pages 52 and 53.



MATERIALS

Provence by Classic Elite Yarns, 4oz/125g skeins, each approx 256yd/236m (cotton)

- 2 skeins in #2648 dk blue (MC)
- 1 skein each in #2608 lt blue (A) #2690 green (B), #2674 med green (C), #2682 olive (D), #2655 pink (E) and #2678 brown (F)
- One pair each sizes 3 and 5 (3.25 and 3.75mm) needles OR SIZE TO OBTAIN GAUGE
- Size 3 (3.25mm) circular needle 16"/40cm long
- 6 small buttons or beads for eyes
- · Bobbins

FINISHED MEASUREMENTS

- Chest 26 (28, 30)"/66 (71, 76)cm
- Length 13 (13½, 14)"/33 (34, 36.5)cm
- Upper arm 11 (13, 14)"/28 (33, 35.5)cm

GAUGE

22 sts and 30 rows to 4"/10cm over St st using size 6 (4mm) needles.

TAKE TIME TO CHECK YOUR GAUGE.


NOTES


1) Use a separate bobbin for each block of color. When changing colors, twist yarns on WS to prevent holes in the work.

2) If desired, the grass/leaves can be worked later with duplicate stitch.

3) Additional detail and color interest can be added (as was done on this garment) by using a method called bleach discharge. Mix a weak solution of bleach and water (10 parts water/1 part bleach) and apply lightly with a cotton swab or tiny sponge cosmetic applicator (eye shadow). Dab lightly on the surface of the stitches, allow bleach to remove desired amount of color. It is not necessary to saturate the sweater. The bleaching only takes a few minutes. Sponge with clear water

CHARTS FOR PATTERN #31





to stop the bleaching process. {Note Dharma Trading Company sells "blank magic markers" that can be filled with dye or bleach. These are easy and fun to use for adding detail to intarsia. They can be ordered on-line at www.dharmatrading.com and sell for a few dollars each}

BACK

With smaller needles and MC, cast on 66 (70, 76) sts and work k2, p2 rib for 1 \(\frac{1}{4}\) "/3cm.

Beg chart for back

Row 1 (RS) With MC, k and inc 6 sts evenly across—72 (76, 82) sts. Cont to foll chart, beg and end as indicated for motifs, through chart

row 88, then work with MC, if necessary, until piece measures 13 (13½, 14)"/33 (34, 36.5)cm from beg. Bind off all sts.

FRONT

Work same as pattern #31 (Note After chart row 81, work with MC to end).

SLEEVES

With smaller needles and MC, cast on 36 (38, 40) sts and work in St st fer 1 4"/3cm, inc 5 sts evenly across last row—41 (43, 45) sts. Complete as for pattern #31 (Note After all chart rows have been worked, cont stripe pat to end).

FINISHING

Block pieces to measurements. Sew on eyes and add duplicate st details as desired or bleach discharge to add shading to rocks and grasses. Sew shoulder seams.

Turtle tails

(At the base of each turtle shell) With smaller needles, pick up 5 sts. K 2 rows. [Dec 1 st at each edge. K 2 rows] twice. Pull yarn through last stitch and sew through edge of tail then pull to inside to secure.

Faux pocket

With A and larger needles, cast on 18 sts. Work k2, p2 rib for 1"/2.5cm. Bind off loosely. Sew rib to left sweater front below partial turtle.

Neckband

With RS facing, circular needle and MC, pick up and k 70 (74, 74) sts evenly around neck edge. Join and work in St st for 3 rnds, then dec 10 sts evenly on next rnd. Work even until neckband measures 2"/5cm. Bind off loosely.

Place markers 5½ (6½, 7)"/14 (16.5, 17.5)cm down from shoulders on front and back. Sew tops of sleeves to front and back between markers. Sew side and sleeve seams.

33

COLUMN THE COLUMN

Sized for Child's 2 (4, 6). Shown in size 4 on pages 52 and 53.



MATERIALS

Provence by Classic Elite Yarns, 4oz/125g skeins, each approx 256yd/236m (cotton)

- 2 skeins in #2657 blue (MC)
- 1 skein each in #2681 bt green (A),
 #2672 lt green (B), #2673 buff (C),
 #2674 green (D) and #2613 black (E)
- One pair each sizes 3 and 5 (3.25 and 3.75mm) needles OR SIZE TO OBTAIN GAUGE
- Size 3 (3.25mm) circular needle 16"/40cm long
- 8 sew-on wiggle eyes, 1 plastic bug (optional) & bobbins

FINISHED MEASUREMENTS

- · Chest 26 (28, 30)"/66 (71, 76)cm
- Length 13 (13½, 14)"/33 (34, 36.5)cm
- Upper arm 11 (13, 14)"/28 (33, 35.5)cm

GAUGE

22 sts and 30 rows to 4"/10cm over St st using size 6 (4mm) needles.

TAKE TIME TO CHECK YOUR GAUGE.


NOTES

1) Use a separate bobbin for each block of color. When changing colors, twist yarns on WS to prevent holes in the work.

If desired, the grass can be worked later with duplicate stitch

BACK

With smaller needles and A, cast on 66 (70, 76) sts and work in St st for 6 rows. Change to MC and k next row on RS, then work in k2, p2 rib for 1"/2.5cm. Change to larger needles.



Beg chart for back

Row 1 (RS) With MC, k and inc 6 sts evenly across-72 (76, 82) sts. Cont to foll chart, beg and end as indicated for motifs, until piece measures 13 (131/2, 14)"/33 (34, 36.5)cm from beg. (Note After all chart rows have been worked, cont with MC only). Bind off all sts.

FRONT

Work same as pattern #31.

SLEEVES

With smaller needles and A, cast on 36 (38, 40) sts and work in St st for 6 rows. Change to MC and k next row on RS, then work in k2, p2 rib for 1"/2.5cm, inc 5 sts evenly across last row—41 (43, 45) sts. Complete as for pattern #31.

FINISHING

Block pieces to measurements. Sew on eyes and (optional) bug and add duplicate st/embroidery details as desired to add variety to frogs. Sew shoulder seams.

Pocket

With MC and larger needles, east on 18 sts. Work k2, p2 rib for 1"/2.5cm then work 2"/5cm in St st. Bind off loosely. Sew pocket to left sweater front below partial frog.

Neckband

With RS facing, circular needle and MC, pick up and k 70 (74, 74) sts evenly around neck edge. Join and work in k2, p2 rib for 1½"/4cm. Change to A. Knit 1 rnd, then bind off loosely.

Place markers 5½ (6½, 7)"/14 (16.5, 17.5)cm down from shoulders on front and back. Sew tops of sleeves to front and back between markers. Sew side and sleeve scams. *

Sized for X-Small (Small, Medium, Large). Shown in size Medium on pages 54 and 56.



MATERIALS

Cotton-Ease by Lion Brand Yarn Co., 31/20z/100g balls, each approx 207yd/188m (cotton/acrylic)

Solid Top

- 1 ball in #148 popsicle blue (A) Multi-Color Top
- 1 ball each in #148 popsicle blue (A) #158 pineapple (B) and #157 banana cream (C)
- Size G/6 and 7 (4 and 4.5mm) crochet hooks OR SIZE TO OBTAIN GAUGE
- Small safety pin

FINISHED MEASUREMENTS

- Cup height 61/2 (7, 71/2, 8)"/16.5 (17.5, 19, 20.5)cm
- Cup width 7½ (8, 8½, 9)"/19 (20.5, 21.5, 23)cm

GAUGE

14 sts and 16 rows to 4"/10cm over sc using larger hook.

TAKE TIME TO CHECK YOUR GAUGE.

NOTE

When changing colors, draw new color through 2 loops on hook to complete last sc, then ch and turn.

STITCH GLOSSARY

Scallop Work (sl st, ch 2, hdc) in sp indicated.

SOLID BIKINI TOP Cup

(make 2)

With larger hook and A, ch 6 (7, 8, 9). Row 1 Sc in 2nd ch from hook and next 3 (4, 5, 6) ch, work 3 sc in last ch. Mark 2nd of these 3 sc with safety pin for center top st; remark this st every row. Turn to bottom lps of beg ch, skip first lp, sc in each of next 4 (5, 6, 7) lps—11 (13, 15, 17) sts. Ch 1, turn. Row 2 Sc in each st to marker, work 3 sc in center top st, sc in each st to end 13 (15, 17, 19) sts. Ch 1, turn. Rep row 2 for 10 (11, 11, 12) times more—33 (37, 39, 43) sts. Change to smaller hook. Do not turn.

Edging and neck tie

Rnd 1 (RS) Ch 3 (counts as 1 dc), work 2 dc in same st as last sc. Working across bottom edge, work as foll: skip next 1 (2, 2, 2) rows, work 2 dc in next row, [skip next 2 rows, work 2 dc in next row] 3 (3, 3, 3) times, skip 1 (1, 1, 2) rows, work 2 dc in end of beg ch at center, skip 1 (1, 1, 2) rows, [work 2 dc in next row, skip next 2 rows] 3 times, work 2 dc in next row, skip next 1 (2, 2, 2) rows. Turn to first side edge and work as foll: work 5 dc in first st, skip next 1 (0, 1, 0) st, [work 2 dc in next st, skip next 2 sts] 4(5, 5, 6) times, work 2 dc in next st, skip next st, work 5 dc in center top st. Turn to 2nd side edge and work as foll: skip next st, work 2 dc in next st, [skip next 2 sts, work 2 dc in next st] 4 (5, 5, 6) times, skip next 1 (0, 1, 0) st, work 2 dc in first st. Join rnd with a sl st in 3rd ch of ch-3. Do not turn. Rnd 2 (RS) Ch 3, hdc in same st as joining, working across bottom edge, work as foll: work scallop in sp before next 2-dc group, *work scallop in sp between next two 2-dc groups; rep from, end work scallop in sp after last 2-de group. Turn to first side edge and work as foll: work scallop in 3rd dc of corner, work scallop in sp before next 2-dc group, *work scallop in sp between next two 2-dc groups; rep from *, end work scallop in sp after last 2-dc group, sl st in 3rd dc of corner. For neck tie, ch 75 (80, 85, 90). Row 1 SI st in 2nd ch from hook and in each ch across, work scallop in same 3rd dc of corner. Turn to 2nd side edge and work as foll: work scallop in sp before next 2-dc group, *work scallop in sp between next two 2-dc groups; rep from *, end work scallop in sp after last 2-dc group. Join rnd with a sl st in first ch of ch-3. Fasten off.

TIE

With larger hook and A, ch 170 (180, 190, 200). Row 1 Sl st in 2nd ch from hook and each ch across. Fasten off.

MULTI-COLOR BIKINI TOP Cup

(make 2)

With larger hook and A, ch 6 (7, 8, 9). Cont to work as for solid top until 5 (6, 6, 6) rows have been completed. Join B, ch 1, turn. Cont to work until another 4 rows have been completed. Join C, ch 1, turn. Cont to work until last 3 (3, 3, 4) rows have been completed 12 (13, 13, 14) rows completed and 31 (33, 37, 39, 43) sts. Change to A and smaller hook. Do not turn.

TIE

Using B, work as for solid top.


FINISHING


Do not block.

Stringing top

To tie top at back, as shown, work as foll: with RS of left cup facing, locate 3rd dc of lower RH







corner. From RS, thread tie under this dc and over next 2 dc. Cont to weave tie under and over each 2-dc group across, then under 3rd dc of lower LH corner. Draw tie a little more than half-way through. With RS of right cup facing, locate 3rd de of lower RH corner. From WS, thread tie under this dc. From RS, thread tie back through 3rd dc of left cup. From WS, thread tie back through 3rd dc of left cup, then over next 2 dc. Cont to weave tie under and over each 2-dc group across, then under and over 3rd de of lower LH corner. If necessary, adjust weaving so both ends of tie are the same length.

Alternate stringing

To tie top at front, refer to directions above and work as foll: working from left to right, weave one end of tie through left cup, ending under and over 3rd dc of lower LH corner. Working in the same manner, weave opposite end of tie through right cup, working from left to right. *



2009 6669 960

Sized for X-Small (Small, Medium, Large, X-Large). Shown in size Medium on page 54.



MATERIALS

Cotton-Ease by Lion Brand Yarn Co., 31/20z/100g balls, each approx 207yd/188m (cotton/acrylic)

- 2 (2, 2, 3, 3) balls in #148 popsicle blue
- Size I/9 (5.5mm) crochet hook OR SIZE TO OBTAIN GAUGE

FINISHED MEASUREMENTS

- Lower edge 34 (38, 41, 45, 48)"/86.5 (96.5, 104, 114.5, 122)cm
- Waist 29 (32, 35, 38, 41)"/73.5 (81, 89, 96.5, 104)cm
- Hips 32 (35, 38, 42, 45)"/81 (89, 96.5, 106.5,
- Length 15 (17, 17, 19, 19)"/38 (43, 43, 48, 48)cm

GAUGE

One pat rep to 31/2"/9cm and 4 rows to 4"/10cm over open fan st (blocked and slightly stretched) using size I/9 (5.5mm) hook.

TAKE TIME TO CHECK YOUR GAUGE.

NOTES

- 1) Skirt is worked in one piece from the waist down.
- 2) Skirt is worked back and forth in rows that are also joined at the center back.

STITCH GLOSSARY

Fan Work (tr, ch 2, tr, ch 2, tr, ch 2, tr, ch 2, tr) in ch-2 sp.

Scallop Work (sl st, ch 2, hdc) in same sp.

GAUGE SWATCH

Ch 26. Foundation row Sc in 2nd ch from hook and in each ch across-25 sts. Turn.

Next row Ch 1, sc in first sc, [ch 1, skip next 3 sc, Fan in next sc, ch 1, skip next 3 sc, sc in next sc] 3 times-3 fan reps. Turn. Work rows 3 and 4 of open fan st, then rep rows 1-4 twice to measure row gauge.

OPEN FAN STITCH

(multiple of 8 sts plus 1)

Row 1 Ch 1, sc in first tr, *ch 3, skip next tr, dc in next ch-2 sp, ch 2, dc in next ch-2 sp, ch 3, skip next tr, sc in next tr; rep from *, end last rep with sc in 4th ch of ch-6 instead of sc in next tr. Turn Row 2 Ch 1, se in first se, *ch 1, Fan in next ch-2 sp, ch 1, sc in next sc; rep from * to end. Turn. Row 3 Ch 5 (counts as 1 tr and ch 1), *dc in next ch-2 sp, ch 3, skip tr, sc in next tr, ch 3, skip tr, dc in next ch-2 sp, ch 2; rep from *, end last rep ch 1 instead of ch 2, tr in last sc. Turn. Row 4 Ch 6 (counts as 1 tr and ch 2), work (tr, ch 2, tr) in first ch-1 sp, ch 1, sc in next sc, ch 1, *Fan in next ch-2 sp, ch 1, sc in next sc, ch 1; rep from *, end work (tr, ch 2, tr, ch 2) in last ch-1 sp, tr in 4th ch of ch-5. Turn. Rep rows 1-4 for open fan st.

SKIRT

Beg at waist edge, ch 65 (73, 81, 89, 97). Foundation row Sc in 2nd ch from hook and in each ch across—64 (72, 80, 88, 96) sts. Taking care not to twist row, join with a sl st forming a ring. Beg at center back and work as foll:

Row 1 (RS) Ch 1, sc in same st as joining, *ch 1, skip next 3 sc, Fan in next sc, ch 1, skip next 3 sc, sc in next sc; rep from * 8 (9, 10, 11, 12) times, end last rep with sl st in beg sc instead of sc in next sc-8 (9, 10, 11, 12) fan reps. Turn. Increase one fan rep at center back as foll: Row 2 Ch 6, *dc in next ch-2 sp, ch 3, skip next tr, sc in next tr, ch 3, skip next tr, dc in next ch-2 sp, ch 2; rep from * 8 (9, 10, 11, 12) times, end tr in sc of row 1, ch 2, hdc in 4th ch of ch-6. Turn. Row 3 Ch 1, sc in first ch-2 sp, *ch 1, Fan in next ch-2 sp, ch 1, sc in next sc; rep from *, end ch 1, Fan in sp before beg ch-2 sp, ch 1, sl st in beg sc-9 (10, 11, 12, 13) fan reps. Turn. Row 4 S1 st in first ch-1 sp, first tr and first ch-2 sp. Ch 6 (counts as 1 dc and ch 3), skip next tr, sc in next tr, ch 3, skip next tr, dc in next ch-2 sp, *ch 2, dc in next ch-2 sp, ch 3, skip next tr, sc in next tr, ch 3, skip next tr, dc in next ch-2 sp; rep from *, end ch 2, se in 3rd ch of ch-6. Turn. Row 5 Ch 6 (counts as 1 tr and ch 2), tr in first ch-sp (half a fan made), ch 1, sc in next sc, ch 1, *Fan in next ch-2 sp, ch 1, sc in next sc, ch 1; rep from *, end (tr, ch 2, tr, ch 2, tr) in beg ch-2 sp, hdc in 4th ch of ch-6 (fan completed). Turn. Row 6 Ch 1, sc in first tr, *ch 3, skip next tr, dc in next ch-2 sp, ch 2, dc in next ch-2 sp, ch 3, skip next tr, sc in next tr; rep from *, end last rep with sl st in beg se instead of se in next tr. Turn. Row 7 Ch 1, sc in same st as joining, ch 1, Fan in next ch-2 sp, ch 1, *sc in next sc, ch 1, Fan in next ch-2 sp, ch 1; rep from *, end sl st in beg sc. Turn. Rep rows 4-7 for 1 (2, 2, 2, 2) times more, then rows 4 and 5 for 0 (0, 0, 1, 1) time more. Do not turn.

Bottom edging

Rnd 1 Ch 2, hdc in joining sl st. Cont to work a Scallop in each ch-2 sp and each sc around. Join rnd with a sl st in first ch of ch-2. Fasten off.


FINISHING Waist edging

From RS, join yarn with a sl st in center back.


Rnd 1 Ch 3, working in lps of beg ch, skip next lp, *work 2 dc in next lp, skip next lp; rep from * around, join rnd with a sl st in first ch of ch-3. Do not turn. Rnd 2 Ch 3, hdc in same st as joining. Cont to work a Scallop between each 2-dc group around. Join rnd with a sl st in first ch of ch-2. Fasten off. Block piece to measurements.


Drawstring

Ch 170 (180, 190, 210, 230). Row 1 SI st in 2nd ch from hook and in each ch across. Fasten off. Beg at center front, weave drawstring under and over 2-dc groups around.





CHARTS FOR PATTERN #32





CHARTS FOR PATTERN #33





36

ON HER BEST LINE

Sized for X-Small (Small, Medium, Large, X-Large). Shown in size Medium on page 55.



MATERIALS

Cotton-Ease by Lion Brand Yarn Co., 3½0z/100g balls, each approx 207yd/188m (cotton/acrylic)

- · 2 (2, 2, 3, 3) balls in #148 popsicle blue
- For sizes X-Small, Medium and X-Large, size I/9 (5.5mm) crochet hook OR SIZE TO OBTAIN GAUGE
- For sizes Small and Large, size J/10 (6mm) crochet hook OR SIZE TO OBTAIN GAUGE

FINISHED MEASUREMENTS

- Bust 35 (37, 40, 43, 47)"/89 (94, 101.5, 109, 119.5)em
- Length 16 (17, 18, 19, 20)"/40.5 (43, 45.5, 48, 51)cm
- Upper arm 8½ (9½, 10½, 11, 12)"/21.5 (24, 26.5, 28, 30.5)cm

GAUGES

- One fan rep to 3½"/9cm and 4 rows to 4"/10cm over open fan st (blocked and slightly stretched) using size I/9 (5.5mm) hook.
- One fan rep to 3¾"/9.5cm and 4 rows to 4¾"/10.5cm over open fan st (blocked and slightly stretched) using size J/10 (6mm) hook.
 TAKE TIME TO CHECK YOUR GAUGES.

NOTES

Top is made in one piece from the neck down.
 Top is worked back and forth in rows that are also joined at one front corner.

STITCH GLOSSARY

Fan Work (tr, ch 2, tr, ch 2, tr, ch 2, tr, ch 2, tr) in same st or sp.

Corner-V Work (tr, ch 4, tr) in same st or sp.

Tr Join Tr 2 tog worked over two corner ch-2 sps at underarm. Work as foll: Yo twice. Draw up a lp in first corner ch-2 sp. [Yo and draw through 2 lps on hook] twice. Yo twice. Draw up a lp in next corner ch-2 sp. [Yo and draw through 2 lps on hook] twice. Yo and draw through all 3 lps on hook.

Scallop

Work (sl st, ch 2, hdc) in same st or sp.

GAUGE SWATCH

With size I/9 (J/10, I/9, J/10, I/9) hook, ch 26. Foundation row Sc in 2nd ch from hook and in each ch across—25 sts. Turn.

Next row Ch 1, sc in first sc, [ch 1, skip next 3 sc, Fan in next sc, ch 1, skip next 3 sc, sc in next sc] 3 times—3 fan reps. Turn. Work rows 3 and 4 of open fan st, then rep rows 1-4 twice to measure row gauge.

OPEN FAN STITCH

(multiple of 8 sts plus 1)

Row 1 Ch 1, sc in first tr, *ch 3, skip next tr, dc in next ch-2 sp, ch 2, dc in next ch-2 sp, ch 3, skip next tr, sc in next tr; rep from *, end last rep with se in 4th ch of ch-6 instead of se in next tr. Turn.

Row 2 Ch 1, se in first se, *ch 1, Fan in next ch-2

sp, ch 1, se in next se; rep from * to end. Turn. Row

3 Ch 5 (counts as 1 tr and ch 1), *de in next ch-2

sp, ch 3, skip tr, se in next tr, ch 3, skip tr, de in next

ch-2 sp, ch 2; rep from *, end last rep ch 1 instead

of ch 2, tr in last se. Turn. Row 4 Ch 6 (counts as 1

tr and ch 2), work (tr, ch 2, tr) in first ch-1 sp, ch 1,

se in next se, ch 1, *Fan in next ch-2 sp, ch 1, se in

next se, ch 1; rep from *, end work (tr, ch 2, tr, ch

2) in last ch-1 sp, tr in 4th ch of ch-5. Turn.

Rep rows 1-4 for open fan st.

TOP

Upper section

Beg at neck edge, with size I/9 (J/10, I/9, J/10, I/9) hook, ch 45 (45, 49, 49, 53). Foundation row Sc in 2nd ch from hook and in each ch across—44 (44, 48, 48, 52) sts. Taking care not to twist row, join with a sl st forming a ring. Beg at front corner and work as foll:

For sizes X-Small and Small only

Row 1 (RS) Ch 1, se in same st as joining, *ch 1, skip next 3 sc, Fan in next sc, ch 1, skip next 2 sc, sc in next sc, ch 1, skip next 2 sc, Fan in next sc, ch 1, skip 3 sc, sc in next sc, ch 1, skip 3 sc, sc in next sc; rep from * twice, end last rep with sl st in beg sc instead of sc in next sc—6 fan reps. Turn.

For sizes Medium and Large only

Row 1 (RS) Ch 1, sc in same st as joining, *ch 1, skip 3 sc, Fan in next sc, ch 1, skip 3 sc, sc in next sc; rep from * 6 times, end last rep with sl st in beg sc instead of sc in next sc—6 fan reps. Turn.

For size X-Large only

Row 1 (RS) Ch 1, sc in same stas joining, *ch 1, skip 3 sc, Fan in next sc, ch 1, skip 3 sc, sc in next sc, ch 1, skip 3 sc, sc in next sc, ch 1, skip 3 sc, sc in next sc, ch 1, skip 4 sc, sc in next sc, ch 1, skip 4 sc, sc in next sc; rep from * twice, end last rep with sl st in beg sc instead of sc in next sc—6 fan reps. Turn.


For all sizes


Row 2 Ch 6 (counts as 1 tr and ch 2), *[dc in next ch-2 sp, ch 3, skip next tr, sc in next tr, ch 3, skip next tr, de in next ch-2 sp, ch 2] once, Corner-V in next sc, ch 2; rep between []'s twice*, Corner-V in next sc, ch 2; rep between *'s once more, end tr in same sc of row 1, ch 4, hdc in 4th ch of ch-6 (last comer-v completed) 4 corner-v made. Turn. Row 3 Ch 1, sc in first ch-4 sp, ch 1, *[Fan in next ch-2 sp, ch 1, sc in next sc, ch 1] twice, Fan in next ch-2 sp, ch 1, sc in next ch-4 sp, ch 1; rep between []'s once, Fan in next ch-2 sp, ch 1, sc in next ch-4 sp, ch 1; rep between *'s once more, end sl st in beg sc-10 fan reps. Turn. Row 4 Ch 6 (counts as 1 tr and ch 2), *dc in next ch-2 sp, ch 3, skip next tr, sc in next tr, ch 3, skip next tr, dc in next ch-2 sp, ch 2; rep from * to next sc of previous corner-v, work Corner-V in this sc, ch 2; cont around and end tr in sl st of joining, ch 4, hdc in 4th ch of ch-6 (last corner-v completed). Turn. Row 5 Ch 1, so in first ch-4 sp, ch 1, *Fan in next ch-2 sp, ch 1, sc in next sc, ch 1; rep from * to next ch-4 sp of previous corner-v, work sc in ch-4 sp, ch 1; cont around, end sI st in beg sc-14 fan reps. Turn. Rep rows 4 and 5 for 1 (1, 2, 2, 3) times more—18 (18, 22, 22, 26) fan reps and 7 (7, 9, 9, 11) rows completed from beg. Turn. Next row SI st in first ch-1 sp, next tr and first ch-2 sp. Ch 6 (counts as 1 dc and ch 3), *skip tr, sc in next tr, ch 3, skip tr, dc in next ch-2 sp, ch 2, dc in next ch-2 sp, ch 3; rep from *, skip each comer-v se, end skip tr, se in next tr, ch 3, skip tr, de in next ch-2 sp, ch 2, hdc in 3rd ch of ch-6. Turn.

Joining underarms

Next row Ch 6 (counts as 1 tr and ch 2), tr in first ch-2 sp, ch 1, sc in next sc, [ch 1, Fan in next ch-2 sp, ch 1, sc in next sc] rep between []'s to next corner ch-2 sp; mark this corner sp. Ch 1, (tr, ch

CHARTS FOR PATTERN #33





2, tr, ch 2) in corner sp. Tr Join to next corner, then (ch 2, tr, ch 2, tr) in same corner; mark this corner. Ch 1, sc in next sc, rep between []'s to next corner. Ch 1, (tr, ch 2, tr, ch 2) in ch-2 corner sp. Tr Join to beg ch-2 sp, ch 2, hdc in 4th ch of ch-6. Turn.

Lower section

Row 1 Ch 1, sc in first tr, *ch 3, skip next tr, dc in next ch-2 sp, ch 2, dc in next ch-2 sp, ch 3, skip next tr, sc in next tr; rep from *, end last rep with sl st in beg sc instead of next tr. Turn. Row 2 Ch 1, sc in same st as joining, ch 1, Fan in next ch-2 sp, ch 1, *sc in next sc, ch 1, Fan in next ch-2 sp, ch 1; rep from *, end sl st in beg sc-10 (10, 12, 12, 14) fan reps. Turn. Row 3 SI st in first ch-1 sp, first tr and first ch-2 sp. Ch 6 (counts as 1 dc and ch 3), skip next tr, sc in next tr, ch 3, skip next tr, dc in next ch-2 sp, *ch 2, dc in next ch-2 sp, ch 3, skip next tr, sc in next tr, ch 3, skip next tr, dc in next ch-2 sp; rep from *, end ch 2, sc in 3rd ch of ch-6. Turn. Row 4 Ch 6 (counts as 1 tr and ch 2), tr in first ch-2 sp (half a fan made), ch 1, sc in next sc, ch 1, *Fan in next ch-2 sp, ch 1, sc in next sc, ch 1; rep from *, end (tr, ch 2, tr, ch 2, tr, ch 2) in beg ch-2 sp, hdc in 4th ch of ch-6 (fan completed). Turn. Rep rows 1 and 2 once more, then rows 3 and 4 for 0 (0, 0, 0, 1) time more-15 (15, 17, 17, 21) rows completed from beg. Do not turn.

Bottom edging for sizes X-Small/ Small and Medium/Large only

Rnd 1 Ch 2, hdc in same sl st as joining. Cont to work a Scallop in each ch-2 sp and each sc around. Join rnd with a sl st in beg sl st. Fasten off.

Bottom edging for size X-Large only

Rnd 1 S1 st in first tr. Cont to work a Scallop in each ch-2 sp and each sc around. Join rnd with a sl st in base of first Scallop. Fasten off.

FINISHING


Block piece to measurements.

Neck edging

From RS, join yarn with a sl st in joining of row 1. Rnd 1 Ch 1, making sure that work lies flat, se evenly around. Join rnd with a sl st in first sc. Rnd 2 Ch 1, working from left to right, se in each st around. Join rnd with a sl st in first st. Fasten off.

Cap sleeve edging


Position piece so neck opening is at your left. From RS, join yarn with a sl st in marked corner ch-2 sp of underarm. Rnd 1 Ch 6 (counts as 1 tr and ch 2), tr in same ch-2 sp, ch 1, sc in next sc, ch 1, *Fan in next ch-2 sp, ch 1, sc in next sc, ch 1; rep from *, end (tr, ch 2, tr, ch 2) in 2nd marked ch-2 corner sp. Tr Join to first marked ch-2 sp, ch 2, sc in 4th ch of ch-6. Rnd 2 Ch 2, hdc in same sp. Cont to work a Scallop in each ch-2 sp and each sc around. Join rnd with a sl st in first ch of ch-2. Fasten off. *



37

9880

Sized for X-Small (Small, Medium, Large). Shown in size Medium on page 55.



MATERIALS

Cotton-Ease by Lion Brand Yarn Co., 350z 100g balls, each approx 207yd/188m (cotton/acrylic)

- 3 (3, 4, 5) balls in #148 popsicle blue
- One each size H/8 (5mm) and I/9 (5.5mm) crochet hook OR SIZE TO OBTAIN GAUGE
- . Small safety pins, 2 each in gold and silver
- · Open ended stitch markers

FINISHED MEASUREMENTS

- Lower edge 38 (42, 46, 50)"/96.5 (106.5, 117, 127)cm
- Waist 28 (31, 34, 36)"/71 (78.5, 86.5, 91.5)cm
- Hips 32 (34, 36, 39)*/81 (86.5, 91.5, 99)cm
- Length 30 (31, 32, 32)"/76 (78.5, 81, 81)cm

GAUGES

- 8 sts to 3"/7.5cm and 14 rows to 4"/10cm over se using size H/8 (5mm) hook.
- One fan rep to 3½"/9cm and 4 rows to 4"/10cm over open fan st (blocked and slightly stretched) using size 1/9 (5.5mm) hook.

TAKE TIME TO CHECK YOUR GAUGES.

NOTES

- 1) Skirt is worked in one piece from the waist
- Skirt is worked back and forth in rows that are joined at RH side.

STITCH GLOSSARY

CF Center front. CB Center back. CR Center right. CL Center left. BP Back panel, FP Front panel. Fan Work (tr, ch 2, tr, ch 2, tr, ch 2, tr, ch 2, tr) in same st. Scallop Work (sl st, ch 2, hdc) in same st.

GAUGE SWATCH

Using size 1/9 hook, ch 26. Foundation row Sc in 2nd ch from hook and in each ch across—25 sts. Turn. Next row Ch 1, sc in first sc, [ch 1, skip next 3 sc, Fan in next sc, ch 1, skip next 3 sc, sc in next sc] 3 times—3 fan reps. Turn. Work rows 3 and 4 of open fan st, then rep rows 1-4 twice to measure row gauge.

OPEN FAN STITCH

(multiple of 8 sts plus 1)

Row 1 Ch 1, so in first tr, *ch 3, skip next tr, do in next ch-2 sp, ch 2, do in next ch-2 sp, ch 3, skip next tr, so in next tr; rep from *, end last rep with so in 4th ch of ch-6 instead of so in next tr. Turn.

Row 2 Ch 1, so in first so, *ch 1, Fan in next ch-2 sp, ch 1, so in next so; rep from * to end. Turn.

Row 3 Ch 5 (counts as 1 tr and ch 1), *do in next ch-2 sp, ch 3, skip tr, so in next tr, ch 3, skip tr, do in next ch-2 sp, ch 2; rep from *, end last rep ch 1 instead of ch 2, tr in last so. Turn. Row 4 Ch 6 (counts as 1 tr and ch 2), work (tr, ch 2, tr) in first ch-1 sp, ch 1, so in next so, ch 1, *Fan in next ch-2 sp, ch 1, so in next so, ch 1; rep from *, end

work (tr, ch 2, tr, ch 2) in last ch-1 sp, tr in 4th ch of ch-5. Turn. Rep rows 1-4 for open fan st.

SKIRT

Work as for pattern #42 to lower section—86 (90, 96, 104) sts.

Lower section


Remove all but CR and CB markers. Rep row 12 for 9 (10, 12, 12) times more. For size Small only: Next (dec) row Ch 1, skip sl st, sc in each sc across dec 2 sts evenly spaced, join with a sl st in CR st-88 sts. For all sizes Remove all rem markers. Fasten off. Do not turn. From RS using size I/9 hook, join yarn with a sl st in CB st. For size X-Small only: Foundation row (RS) Ch 1, sc in same sc as joining, [ch 1, skip next 3 sc, Fan in next sc, ch 1, skip next 3 sc, sc in next sc] twice, ch 1, skip next 4 sc, Fan in next sc, ch 1, skip next 4 sc, sc in next sc, rep between []'s 4 times, ch 1, skip next 4 sc, Fan in next sc, ch 1, skip next 4 sc, sc in next sc, rep between []'s twice, end last rep with sl st in beg sc instead of sc in next sc-10 fan reps. Turn. For sizes Small, Medium and Large only: Foundation row (RS) Ch 1, se in same se as joining, *ch 1, skip next 3 sc, Fan in next sc, ch 1, skip next 3 sc, sc in next sc; rep from *11 (12, 13) times, end last rep with sl st in beg sc instead of sc in next sc—11 (12, 13) fan reps. Turn. For all sizes Row 1 Sl st in first ch-1 sp, first tr and first ch-2 sp. Ch 6 (counts as 1 dc and ch 3), skip next tr, sc in next tr, ch 3, skip next tr, dc in next ch-2 sp, *ch 2, dc in next ch-2 sp, ch 3, skip next tr, sc in next tr, ch 3, skip next tr, dc in next ch-2 sp; rep from *, end ch 2, sc in 3rd ch of ch-6, Turn. Row 2 Ch 6 (counts as 1 tr and ch 2), tr in first ch-2 sp, ch 1, sc in next sc, ch 1. *Fan in next ch-2 sp, ch 1, sc in next sc, ch 1; rep from *, end work (tr, ch 2, tr, ch 2, tr, ch 2) in beg ch-2 sp, hdc in 4th ch of ch-6. Turn. Row 3 Ch 1, se in first tr, *ch 3, skip next tr, dc in next ch-2 sp, ch 2, dc in next ch-2 sp, ch 3, skip next tr, sc in next tr; rep from *, end last rep with sl st in beg sc instead of next tr. Turn. Row 4 Ch 1, se in same st as joining, ch 1, Fan in next ch-2 sp, ch 1, *sc in next sc, ch 1, Fan in next ch-2 sp, ch 1; rep from *, end sl st in beg sc. Turn. Cont to rep rows 1-4 for 5 times more. Do not turn.

Bottom edging

Rnd 1 Ch 2, hdc in joining sl st. Cont to work a Scallop in each ch-2 sp and each sc around. Join rnd with a sl st in first ch of ch-2. Fasten off.

FINISHING

Work as for pattern #42. &



455 250 500 100

Sized for X-Small (Small, Medium, Large, X-Large). Shown in size Medium on page 55.



MATERIALS

Cotton-Ease by Lion Brand Yarn Co., 3½oz/100g balls, each approx 207yd/188m (cotton/acrylic)

- 4 (4, 5, 5, 6) balls in #158 pineapple
- For sizes X-Small, Medium and X-Large, size I/9 (5.5mm) crochet hook OR SIZE TO OBTAIN GAUGE
- For sizes Small and Large, size J/10 (6mm) crochet hook OR SIZE TO OBTAIN GAUGE

FINISHED MEASUREMENTS

- Bust 35 (37, 40, 43, 47)"/89 (94, 101.5, 109, 119.5)em
- Length 40 (42, 42, 44, 44)"/101.5 (106.5, 106.5, 111.5, 111.5)cm
- Upper arm 8½ (9½, 10½, 11, 12)"/21.5 (24, 26.5, 28, 30.5)cm

GAUGES

- One fan rep to 3½"/9cm and 4 rows to 4"/10cm over open fan st (blocked and slightly stretched) using size I/9 (5.5mm) hook.
- One fan rep to 3¼"/9.5cm and 4 rows to 4¼"/10.5cm over open fan st (blocked and slightly stretched) using size J/10 (6mm) hook.
 TAKE TIME TO CHECK YOUR GAUGES.

NOTES

- 1) Dress bodice is made in one piece from the neck down.
- Dress is worked back and forth in rows that are also joined at one front corner.

STITCH GLOSSARY

Fan Work (tr, ch 2, tr, ch 2, tr, ch 2, tr, ch 2, tr) in same st or sp. Corner-V Work (tr, ch 4, tr) in same st or sp. Tr Join Tr 2 tog worked over two corner ch-2 sps at underarm. Work as foll: Yo twice. Draw up a lp in first corner ch-2 sp. [Yo and draw through 2 lps on hook] twice. Yo twice. Draw up a lp in next corner ch-2 sp. [Yo and draw through 2 lps on hook] twice. Yo and draw through all 3 lps on hook. Scallop Work (sl st, ch 2, hdc) in same st or sp.

GAUGE SWATCH

With size I/9 (J/10, I/9, J/10, I/9) hook, ch 26. **Foundation row** Sc in 2nd ch from hook and in each ch across—25 sts. Turn. **Next row** Ch 1, sc in first sc, [ch 1, skip next 3 sc, Fan in next sc, ch 1, skip next 3 sc, sc in next sc] 3 times—3 fan reps. Turn. Work rows 3 and 4 of open fan st, then rep rows 1-4 twice to measure row gauge.

OPEN FAN STITCH

(multiple of 8 sts plus 1)

Row 1 Ch 1, so in first tr, *ch 3, skip next tr, do in next ch-2 sp, ch 2, do in next ch-2 sp, ch 3, skip next tr, so in next tr; rep from *, end last rep with so in 4th ch of ch-6 instead of so in next tr. Turn. Row 2 Ch 1, so in first so, *ch 1, Fan in next ch-2 sp, ch 1, so in next so; rep from * to end. Turn. Row 3 Ch 5 (counts

as 1 tr and ch 1), *dc in next ch-2 sp, ch 3, skip tr, sc in next tr, ch 3, skip tr, dc in next ch-2 sp, ch 2; rep from *, end last rep ch 1 instead of ch 2, tr in last sc. Turn. Row 4 Ch 6 (counts as 1 tr and ch 2), work (tr, ch 2, tr) in first ch-1 sp, ch 1, sc in next sc, ch 1, *Fan in next ch-2 sp, ch 1, sc in next sc, ch 1; rep from *, end work (tr, ch 2, tr, ch 2) in last ch-1 sp, tr in 4th ch of ch-5. Turn. Rep rows 1-4 for open fan st.

DRESS

Work same as for pattern #36 until row 4 of lower section has been completed. Rep rows 1-4 for 1 (1, 0, 0, 1) time more, then rows 1 and 2 for 0 (0, 1, 1, 0) time more. Turn. You are now at side of dress and working toward the back. For sizes X-Small/Small and X-Large you are at 3rd tr of a fan. For size Medium/Large, you are at a so between two fans. Inc for 1 more fan rep as foll:

For sizes X-Small/Small and X-Large only

Next (inc) row Ch 1, sc in first tr, [ch 3, skip next tr, dc in next ch-2 sp, ch 2, dc in next ch-2 sp, ch 3, skip next tr, sc in next tr] 2 (3) times, ch 3, skip next tr, dc in next ch-2 sp, ch 2, Corner-v in next sc; rep between []'s to end, then end sl st in beg sc. Turn.

For size Medium/Large Only

Next (inc) row SI st in first ch, tr and ch-2 sp. Cn 6 (counts as 1 de and ch 3), skip next tr, sc in next tr, ch 3, skip next tr, dc in next ch-2 sp, [ch 2, de in next ch-2 sp, ch 3, skip next tr, sc in next tr, ch 3, skip next tr, dc in next ch-2 sp] twice, ch 2, Corner-v in next sc; rep between []'s across, end ch 2, sc in 3rd ch of ch-6. Turn.

For all sizes

Work row 2 (2, 4, 4, 2) of lower section pat rows, working a sc in ch-4 sp of corner-v, then work row 3 (3, 1, 1, 3)—11 (11, 13, 13, 15) fan reps.

For sizes X-Small/Small and X-Large only


Work row 4 once, then rep rows 1-4 for 4 times, then rows 1 and 2 once—39 (43) rows completed from beg. Do not turn.

For size Medium/Large Only

Work rows 2-4 once, then rows 1-4 for 4 times, then rows 1 and 2 once—41 rows completed from beg. Do not turn.

For all sizes


Work bottom edging and finishing same as for pattern #36.



39

400 SSS 500 C

Sized for X-Small (Small, Medium, Large). Shown in size Small on page 56.



MATERIALS

Cotton-Ease by Lion Brand Yarn Co., 3½0z/100g balls, each approx 207yd/190m (cotton/acrylic)

- 2 balls in #158 pineapple
- Size H/8 (5mm) crochet hook OR SIZE TO OBTAIN GAUGE
- Four safety pins, 2 each in gold and silver
- · Open ended stitch markers

FINISHED MEASUREMENTS

- · Waist 28 (30, 34, 36)"/71 (76, 86.5, 91.5)cm
- Hip 35 (37, 40, 44)"/89 (94, 101.5, 111.5)cm
- Length 6½ (7, 7, 7½)"/16.5 (17.5, 17.5, 19)cm
- Leg opening 21 (22, 23, 25)"/53.5 (56, 58.5, 63.5)em

GAUGE

8 sts to 3"/7.5cm and 14 rows to 4"/10cm over sc using size H/8 (5mm) hook.

TAKE TIME TO CHECK YOUR GAUGE.

NOTES

1) Shorts are worked in one piece from the waist down.

2) Shorts are worked back and forth in rows that are joined at RH side.

STITCH GLOSSARY

CF Center front. CB Center back. CR Center right. CL Center left. BP Back panel. FP Front panel. Scallop Work (sl st, ch 2, hdc) in same st.

SHORTS

Beg at waist edge, ch 69 (73, 77, 85). Foundation row Sc in 2nd ch from hook and in each ch across—68 (72, 76, 84) sts. Taking care not to twist row, join with a sl st forming a ring.

Row 1 Ch 1, sc in next 16 (17, 18, 20) sts, sc in next st (mark this st with gold safety pin for CF), sc in next 16 (17, 18, 20) sts, sc in next st (mark this st with silver safety pin for CL), sc in next 16 (17, 18, 20) sts, sc in next st (mark this st with gold safety pin for CB), sc in next 16 (17, 18, 20) sts, sc in last st (mark this st with silver safety pin for CR). Join row with a sl st in beg sc. Turn. Note Move all markers up every row. Beg short row shaping at back, AT SAME TIME, mark position of 11 (11, 11, 13) sts for back panel as foll: Row 2 Ch 1, sk sl st, sc in CR st, sc next 12 (13, 14, 15) sts (mark last st with st marker for BP), sc in next 4 (4, 4, 5) sts, se in CB st, se in next 5 (5, 5, 6) sts (mark last st with st marker for BP), sc in next st, sl st in next st. Turn. Beg incs every other row on either side of marked panel, keeping 11 (11, 11, 13) sts of BP worked even as fell: Row 3 Ch 1, sk sl st, sc in next st, work 2 sc in st before BP st, sc in BP st, sc in each st to next BP st, sc in BP st, work 2 sc in next st, sl st in next st-70 (74, 78, 86) sts. Turn. Row 4 Ch I, sk sl st, sc in each st to sl st turning of row 3, se in same st as turning, se next 4 (4, 4, 5) sts, sl st

in next st. Turn. Row 5 Ch 1, sk sl st, sc in each st to within 1 st of first BP st, work 2 sc in st, sc in BP st, sc in each st across to next BP st, sc in BP st, work 2 sc in next st, sc to sl st turning of row 4, sc in same st as turning, sc next 4 (4, 4, 5) sts, sl st in next st—72 (76, 80, 88) sts. Turn. Row 6 Ch 1, sk sl st, sc in each st to sl st turning of row 5, sc in same st as turning, sc next 3 (3, 3, 4) sts, sl st in next st. Turn. Row 7 Ch 1, sk sl st, sc in each st to within 1 st of first BP st, work 2 sc in st, sc in BP st, sc in each st across to next BP st, sc in BP st, work 2 sc in next st, sc to sl st turning of row 6, sc in same st as turning, sc next 3 (3, 3, 4) sts, sl st in next st—74 (78, 82, 90) sts. Turn.

For size Medium and Large only

Row 8 Ch. 1, sk sl st, sc in each st to sl st turning, sc in same sc as turning, sc next 2 (3) sts, sl st in next sc. Turn. Row 9 Ch 1, sk sl st, sc in each st to within 1 st of first BP st, work 2 sc in st, sc in BP st, sc in each st across to next BP st, sc in BP st, work 2 sc in next st, sc to sl st turning of row 8, sc in same st as turning, sc next 2 (3) sts, sl st in next st—84 (92) sts. Turn.

For all sizes

Short rows now completed—74 (78, 84, 92) sts. Beg working around to front, marking position of 11 (11, 11, 13) sts for front panel as foll: Row 8 (8, 10, 10) Ch 1, sk sl st, sc in each st across to sl st turning of previous row, sc in same st as turning, sc across to within 4 (4, 4, 5) sts of CF st (mark last st for FP st), se to CF st, se in CF st, se in next 5 (5, 5, 6) sts (mark last st for FP st), se in each st across, end sl st in beg sc. Turn. Keeping 11 (11, 11, 13) sts of each panel worked even, cont incs each side of BP and beg incs each side of FP every other row as foll: Row 9 (9, 11, 11) Ch 1, sk sl st, sc in CR st and each st across, working 2 sts in st before first FP st and 2 sts in st after next FP st, 2 sts in st before first BP st and 2 sts in st after next BP st, then sc in each st to last sl st join of short row, sc in same st as joining, sc to end, join with a sl st in beg sc—78 (82, 88, 96) sts. Turn. Row 10 (10, 12, 12) Ch 1, sk sl st, sc in each st across, end join with a sl st in beg sc. Turn. Row 11 (11, 13, 13) Ch 1, sk sl st, sc in CR st and each st across, working 2 sts in st before first FP st and 2 sts in st after next FP st, 2 sts in st before first BP st and 2 sts in st after next BP st, then se to end, join with a sl st in beg sc-82 (86, 92, 100) sts. Turn. Row 12 (12, 14, 14) Ch 1, sk sl st, sc in each sc across, join with a sl st in beg sc. Turn.

For sizes X-Small and Small only: Rows 13-22 Rep rows 11 and 12 for 5 times more—102 (106) sts. For sizes Medium and Large only: Rows 15-24 Rep rows 13 and 14 for 5 times more—112 (120) sts. For size Small and Medium only: Rep row 12 (14) twice more. For size Large only: Rep row 14 for 4 times more.

For all sizes

Shaping now completed—102 (106, 112, 120) sts. Fasten off.

Crotch shaping

For size X-Small only

For front crotch, beg at CF and work over 11 FP sts only. Join yarn with a with sl st in first FP st. Row 1 Ch 1, sc in same sc and in each sc across—11 sts. Turn. Row 2 Ch 1, sc 2tog, sc in next 7 sts, sc 2tog—9 sts. Turn. Row 3 Ch 1, sc 2tog, sc in next 5, sc 2tog—7 sts. Turn. Row 4 Ch 1, work even. Turn. Row 5 Ch 1, sc 2tog, sc in next 3, sc 2tog—5 sts. Turn. Row 6 Ch 1, work even. Turn. Row 7 Ch 1, sc in first 2 sts, sc 2tog, sc last st—4 sts. Fasten off. Turn to back of piece and work over 11 BP sts only for back crotch. Join yarn with a with sl st in first BP st.

Row 1 Ch 1, se in same se and each se across-

11 sts. Turn. Row 2 Ch 1, sc 2tog, sc in next 7 sts, sc 2tog—9 sts. Turn. Row 3 Ch 1, work even. Turn. Row 4 Ch 1, sc 2tog, sc in next 5 sts, sc 2tog—7 sts. Turn. Rows 5 and 6 Ch 1, work even. Turn. Row 7 Ch 1, sc 2tog, sc in next 3 sts, sc 2tog_5 sts. Turn. Rows 8 and 9 Ch 1, work even. Turn. Row 10 Ch 1, sc in first 2 sts, sc 2tog, sc last st—4 sts. Turn. Row 11 Ch 1, work even. Remove all markers.

Joining

With RS facing and working through both thicknesses, sl st front and back crotches tog. Fasten off.

For size Small only

For front crotch, beg at CF and work over 11 FP sts only. Join yarn with a with sl st in first FP st. Row 1 Ch 1, sc in same sc and in each sc across-11 sts. Turn. Row 2 Ch 1, sc 2tog, sc in next 7 sts, sc 2tog-9 sts. Turn. Row 3 Ch 1, work even. Row 4 Ch 1, sc 2tog, sc in next 5, sc 2tog-7 sts. Turn. Row 5 Ch 1, work even. Turn. Row 6 Ch 1, sc 2tog, sc in next 3, sc2 tog—5 sts. Turn. Row 7 Ch 1, work even. Turn. Fasten off. Turn to back of piece and work over 11 BP sts only for back crotch. Join yarn with a with sl st in first BP st. Row 1 Ch 1, se in same se and each sc across-11 sts. Turn. Row 2 Ch 1, work even. Turn. Row 3 Ch 1, sc 2tog, sc in next 7 sts, sc 2tog-9 sts. Turn. Rows 4 and 5 Ch 1, work even. Turn. Row 6 Ch 1, sc 2tog, sc in next 5 sts, sc 2tog-7 sts. Turn. Rows 7 and 8 Ch 1, work even. Turn. Row 9 Ch 1, sc 2tog, sc in next 3 sts, sc 2tog-5 sts. Turn. Rows 10 and 11 Ch 1, work even. Turn. Remove all markers.

Joining

Work as for X-Small.

For size Medium only

Work front crotch same as for Small. Turn to back of piece and work over 11 BP sts only for back crotch. Join yarn with a with sl st in first BP st.

Row 1 Ch 1, sc in same sc and each sc across—11 sts. Turn. Rows 2 and 3 Ch 1, work even. Turn. Row 4 Ch 1, sc 2tog, sc in next 7 sts, sc 2tog—9 sts. Turn. Rows 5 and 6 Ch 1, work even. Turn. Row 7 Ch 1, sc 2tog, sc in next 5 sts, sc 2tog—7 sts. Turn. Rows 8 and 9 Ch 1, work even. Turn. Row 10 Ch 1, sc 2tog, sc in next 3 sts, sc 2tog—5 sts. Turn. Row 11 Ch 1, work even. Turn. Remove all markers.

Joining

Work as for X-Small.

For size Large only

For front crotch, beg at CF and work over 13 FP sts only. Join yarn with a with sl st in first FP st. Row 1 Ch 1, so in same so and in each so across-13 sts. Turn, Row 2 Ch 1, sc 2tog, sc in next 9 sts, sc 2tog-11 sts. Turn. Row 3 Ch 1, work even. Row 4 Ch 1, sc 2tog, sc in next 7, sc 2tog-9 sts. Turn. Row 5 Ch 1, work even. Turn. Row 6 Ch 1, sc 2tog, sc in next 5, sc2 tog—7 sts. Turn. Row 7 Ch 1, work even. Turn. Row 8 Ch 1, sc 2tog, sc in next 3, sc2 tog-5 sts. Fasten off. Turn to back of piece and work over 13 BP sts only for back crotch. Join yarn with a with sl st in first BP st. Row 1 Ch 1, sc in same sc and each sc across-13 sts. Turn. Row 2 Ch 1, sc 2tog, se in next 9 sts, se 2tog-11 sts. Turn. Rows 3 and 4 Ch 1, work even. Turn. Row 5 Ch 1, sc 2tog, sc in next 7 sts, sc 2tog—9 sts. Turn. Rows 6 and 7 Ch 1, work even. Turn. Row 8 Ch 1, se 2tog, se in next 5 sts, se 2tog—7 sts. Turn. Rows 9 and 10 Ch 1, work even. Turn. Row 11 Ch 1, sc 2tog, sc in next 3 sts, sc 2tog-5 sts. Turn. Row 12 Ch 1, work even. Turn. Remove all markers.

Joining

Work as for X-Small.

FINISHING

Leg bands

From RS, join yarn with a sl st in crotch seam.

Rnd 1 (RS) Ch 1, se in each st and row around—

58 (60, 63, 67) sts. Join rnd with a sl st in beg sc.

Rnd 2 Ch 1, se in each st around. Join rnd with a sl st in beg sc. Rnd 3 Sl st in each st around. Join rnd with a sl st in first sl st. Fasten off.

Waist edging

For sizes X-Small, Medium and Large only From RS, join yarn with a sl st in se before CR st. For sizes Small only

From RS, join yarn with a sl st in CR st.

For all sizes

Rnd 1 Ch 3, working in lps of beg ch, sk next lp, *work 2 dc in next lp, sk next lp; rep from * around, end with a dc in same sc as beg ch-3, join rnd with a sl st in 3rd ch of ch-3. Do not turn. Rnd 2 Ch 3, hdc in same st as joining. Cont to work a Scallop between each 2-dc group around. Join rnd with a sl st in first ch of ch-3. Fasten off. Block piece to measurements.

Drawstring

Ch 170 (180, 190, 200). Row 1 SI st in 2nd ch from hook and in each ch across. Fasten off. Beg at center front, weave drawstring under and over 2-dc groups around.

40

ORI SEE SEE SEE

Sized for X-Small (Small, Medium, Large, X-Large). Shown in size Medium on page 57.



MATERIALS

Cotton-Ease by Lion Brand Yarn Co., 3½oz/100g balls, each approx 207yd/188m (cotton/acrylic)

- 3 (3, 4, 4, 5) balls in #133 orangeade
- For sizes X-Small, Medium and X-Large, size I/9 (5.5mm) crochet hook OR SIZE TO OBTAIN GAUGE
- For sizes Small and Large, size J/10 (6mm) crochet hook OR SIZE TO OBTAIN GAUGE

FINISHED MEASUREMENTS

- Bust 35 (37, 40, 43, 47)"/89 (94, 101.5, 109, 119.5)cm
- Length 26 (28, 28, 30, 30)"/66 (71, 71, 76, 76)cm
- Upper arm 8½ (9½, 10½, 11, 12)"/21.5 (24, 26.5, 28, 30.5)cm

GAUGES

- One fan rep to 3½"/9cm and 4 rows to 4"/10cm over open fan st (blocked and slightly stretched) using size I/9 (5.5mm) hook.
- One fan rep to 3¼"/9.5cm and 4 rows to 4¼"/10.5cm over open fan st (blocked and slightly stretched) using size J/10 (6mm) hook.
 TAKE TIME TO CHECK YOUR GAUGES.

NOTES

- 1) Cover-up is made in one piece from the neck down.
- Cover-up is worked back and forth in rows that are joined at one front corner.

STITCH GLOSSARY


Fan Work (tr, ch 2, tr, ch 2, tr, ch 2, tr, ch 2, tr) in same st or sp. Corner-V Work (tr, ch 4, tr) in same st or sp. Tr Join Tr 2 tog worked over two corner ch-2 sps at underarm. Work as foll: Yo twice. Draw up a lp in first corner ch-2 sp. [Yo and draw through 2 lps on hook) twice. Yo twice. Draw up a lp in next corner ch-2 sp. [Yo and draw through 2 lps on hook) twice. Yo and draw through all 3 lps on hook. Scallop Work (sl st, ch 2, hdc) in same st or sp.

OPEN FAN STITCH

See pattern #36.

COVER-UP

Work same as for pattern #36 until row 4 of lower section has been completed. Rep rows 1-4 for 4 (4, 4, 4, 5) times more, then rows 1 and 2 for 1 (1, 1, 1, 0) time more—25 (25, 27, 27, 31) rows completed from beg. Do not turn. Work bottom edging and finishing same as for pattern #36.



41

60 00 00 C

Sized for one size Small/Medium. Shown on page 57.



MATERIALS

Cotton-Ease by Lion Brand Yarn Co., 3½0z/100g balls, each approx 207yd/188m (cotton/acrylic)

- 3 balls in #107 candy blue
- Size I/9 (5.5mm) crochet hook OR SIZE TO OBTAIN GAUGE

FINISHED MEASUREMENTS

- · Bust 42"/106.5cm
- Length 30"/76cm

GAUGE

One fan rep to 3½"/9cm and 4 rows to 4"/10cm over open fan st (blocked and slightly stretched) using size I/9 (5.5mm) hook.
TAKE TIME TO CHECK YOUR GAUGE.

NOTES

Vest is made in one piece from the neck down.

STITCH GLOSSARY

Fan Work (tr, ch 2, tr, ch 2, tr, ch 2, tr, ch 2, tr) in same st or sp. Corner-V Work (tr, ch 4, tr) in same st or sp. Tr Join Tr 2 tog worked over two corner ch-2 sps at underarm. Work as foll: Yo twice. Draw up a lp in first corner ch-2 sp. [Yo and draw through 2 lps on hook) twice. Yo twice. Draw up a lp in next corner ch-2 sp. [Yo and draw through 2 lps on hook) twice. Yo and draw through all 3 lps on hook. Scallop Work (sl st, ch 2, hdc) in same st or sp.

GAUGE SWATCH

Ch 26. Foundation row Sc in 2nd ch from hook and in each ch across—25 sts. Turn.

Next row Ch 1, se in first se, [ch 1, skip next 3 se, Fan in next se, ch 1, skip next 3 se, se in next se] 3 times—3 fan reps. Turn. Work rows 3 and 4 of open fan st, then rep rows 1-4 twice to measure row gauge.

OPEN FAN STITCH

(multiple of 8 sts plus 1)

Row 1 Ch 1, so in first tr, *ch 3, skip next tr, do in next ch-2 sp, ch 2, do in next ch-2 sp, ch 3, skip next tr, so in next tr; rep from *, end last rep with so in 4th ch of ch-6 instead of so in next tr. Turn. Row 2 Ch 1, so in first so, *ch 1, Fan in next ch-2 sp, ch 1, so in next so; rep from * to end. Turn. Row 3 Ch 5 (counts as 1 tr and ch 1), *do in next ch-2 sp, ch 3, skip tr, so in next tr, ch 3, skip tr, do in next ch-2 sp, ch 2; rep from *, end last rep ch 1 instead of ch 2, tr in last so. Turn. Row 4 Ch 6 (counts as 1 tr and ch 2), work (tr, ch 2, tr) in first ch-1 sp, ch 1, so in next so, ch 1, *Fan in next ch-2 sp, ch 1, so in next so, ch 1; rep from *, end work (tr, ch 2, tr, ch 2) in last ch-1 sp, tr in 4th ch of ch-5. Turn. Rep rows 1-4 for open fan st.

VEST

Upper section

Beg at neck edge, ch 26. Foundation row Sc in 2nd ch from hook and in each ch across -25 sts. Turn. Row 1 (RS) Ch 1, sc in first sc, [ch 1, skip next 3 sc, Fan in next sc, ch 1, skip next 3 sc, sc in next sc] 3 times—3 fan reps. Turn. Row 2 Ch 5 (counts as 1 dc and ch 2), Corner-V in first sc, [ch 2, dc in next ch-2 sp, ch 3, skip next tr, sc in next tr, ch 3, skip next tr, dc in next ch-2 sp, ch 2, Corner-V in next sc] 3 times, working last Corner-V in last sc, ch 2, dc in same sc—4 Corner-V's made, Turn. Row 3 Ch 6 (counts as 1 tr and ch 2), in next ch-2 sp work (tr. ch 2, tr), ch 1, [sc in ch-4 sp, ch 1, Fan in next ch-2 sp, ch 1, sc in next sc, ch 1, Fan in next ch-2 sp, ch 1] 3 times, end sc in next ch-4 sp, ch 1, work (tr, ch 2, tr, ch 2) in last ch-2 sp, tr in 4th ch of ch-5—6 whole fan reps. Turn. Inc at center back as foll: Row 4 Ch 1, sc in first tr, ch 3, dc in next ch-2 sp, ch 2, Corner-V in next sc, [ch 2, dc in next ch-2 sp, ch 3, skip next tr, sc in next tr, ch 3, skip next tr, dc in next ch-2 sp] twice, ch 2, Corner-V in next sc; *rep between [I's once, ch 2, Corner-V in next sc; rep from * twice; rep between []'s twice, ch 2, Corner-V in next sc, ch 2, dc in next ch-2 sp, ch 3, sc in 4th ch of ch-6. Turn. Row 5 Ch 1, sc in first sc, [ch 1, Fan in next ch-2 sp, ch 1], sc in next ch-4 sp; *rep between []'s once, sc in next sc; rep from * twice; rep between []'s once, sc in next ch-4 sp, rep between *'s 3 times; rep between [1's once, sc in next ch-4 sp; rep between *'s twice; rep between []'s once, sc in next ch-4 sp, end rep between []'s once, sc in last sc—12 fan reps. Turn. Row 6 Ch 5 (counts as 1 dc and ch 2), [dc in next ch-2 sp, ch 3, skip next tr, sc in next tr, ch 3, skip next tr, dc in next ch-2 sp, ch 2], Corner-V in next sc, ch 2; rep between []'s 3 times, Corner-V in next sc, ch 2, rep between []'s 4 times, Corner-V in next sc, ch 2; rep between []'s 3 times, Corner-V in next sc, ch 2, end rep between []'s once, dc in last sc.


Turn. Row 7 Ch 6 (counts as 1 tr and ch 2), work (tr, ch 2, tr, ch 2, tr, ch 2, tr) in first ch-2 sp, ch 1, sc in next sc, Fan in next ch-2 sp, ch 1, sc in next ch-4 sp, ch 1, [Fan in next ch-2 sp, ch 1, sc in next sc, ch 1] 3 times, Fan in next ch-2 sp, ch 1, sc in next ch-4 sp, ch 1; rep between []'s 4 times, Fan in next ch-2 sp, ch 1, sc in next ch-4 sp, ch 1, rep between []'s 3 times, Fan in next ch-2 sp, ch 1, sc in next ch-4 sp, ch 1, rep between []'s once, end work (tr, ch 2, tr, ch 2, tr, ch 2, tr, ch 2) in last ch-2 sp, tr in 3rd ch of ch-5—17 fan reps, Turn. Row 8 Ch 5 (counts as 1 dc and ch 2), [dc in next ch-2] sp, ch 3, skip next tr, sc in next tr, ch 3, skip next tr, dc in next ch-2 sp, ch 2] twice, Corner-V in next sc, ch 2; rep between []'s 4 times, Corner-V in next sc, ch 2; rep between [1's 5 times, Corner-V in next sc, ch 2; rep between []'s 4 times, Corner-V in next sc, ch 2; rep between []'s twice, end dc in 4th ch of ch-6. Turn. Row 9 Ch 6 (counts as 1 tr and ch 2), work (tr, ch 2, tr, ch 2, tr, ch 2, tr) in first ch-2 sp, ch 1, sc in next sc, [Fan in next ch-2 sp, ch 1, sc in next sc, ch 1] once, Fan in next ch-2 sp, ch 1, sc in next ch-4 sp, ch 1; rep between [] 's 4 times, Fan in next ch-2 sp, ch 1, sc in next ch-4 sp, ch 1; rep between []'s 5 times, Fan in next ch-2 sp, ch 1, sc in next ch-4 sp, ch 1; rep between []'s 4 times, Fan in next ch-2 sp, ch 1, sc in next ch-4 sp, ch 1; rep between []'s twice, end work (tr, ch 2, tr, ch 2, tr, ch 2, tr, ch 2) in last ch-2 sp, tr in 3rd ch of ch-5—22 fan reps. Turn. Row 10 Ch 5 (counts as 1 dc and ch 2), *dc in next ch-2 sp, ch 3, skip tr, sc in next tr, ch 3, skip tr, dc in next ch-2 sp, ch 2; rep from *, end dc in 4th ch of ch-6. Turn.

JOINING UNDERARMS

Next row Ch 6 (counts as 1 tr and ch 2), work (tr, ch 2, tr) in first ch-2 sp, [ch 1, sc in next sc, ch 1, Fan in next ch-2 sp] twice, ch 1, sc in next sc, ch 1, mark next ch-2 corner sp, ch 1, work (tr, ch 2, tr, ch 2) in this corner sp. Tr Join to next corner ch-2 sp, then (ch 2, tr, ch 2, tr) in this corner; mark this corner sp. Rep between []'s 5 times, ch 1, sc in next sc, ch 1, mark next ch-2 corner sp, ch 1, work (tr, ch 2, tr, ch 2) in this corner sp. Tr Join to next corner ch-2 sp, then (ch 2, tr, ch 2, tr) in this corner; mark this corner sp. Rep between []'s twice, end ch 1, sc in next sc, ch 1, work (tr, ch 2, tr, ch 2) in last ch-2 sp, tr in 3rd ch of ch-6. Turn.

LOWER SECTION

Work rows 1-4 of open fan st once, then rows 1 and 2 once—14 fan reps. Inc at center back as foll: Next (inc) row Ch 5 (counts as 1 tr and ch 1), [dc in next ch-2 sp, ch 3, skip tr, sc in next tr, ch 3, skip tr, dc in next ch-2 sp, ch 2] 6 times, Corner-V in next sc, ch 2, rep between []'s 6 times, end last rep ch 1 instead of ch 2, tr in last sc. Turn, Next row Ch 6 (counts as 1 tr and ch 2), work (tr, ch 2, tr) in first ch-1 sp, ch 1, sc in next



sc, ch 1, [Fan in next ch-2 sp, ch 1, sc in next sc, ch 1] 5 times, Fan in next ch-2 sp, ch 1, sc in ch-4, ch 1, rep between []'s 6 times, end work (tr, ch 2, tr, ch 2) in last ch-1 sp, tr in 4th ch of ch-5—13 fan reps. Turn. Cont to work in open fan st, rep rows 1-4 twice, then rows 1 and 2 once. Do not turn.

FRONT AND NECK EDGING

Row 1 (RS) Ch 1, turn to right front edge. Making sure that work lies flat, *work 1 sc in each row, 2 sc in each dc row, 3 sc in each tr row and 5 sc corner in ch-sp at beg of v-neck shaping; rep from * to bottom edge of left front.

BOTTOM EDGING

Row 1 (RS) Ch 2, turn to bottom edge. Hdc in first sc of bottom edge, cont to work a Scallop in each ch-2 sp and each sc across.

FRONT AND NECK EDGING, AND TIES

Row 1 (RS) Making sure that work lies flat, sl st in each sc to 3rd sc of first vneck corner, [sl st in 3rd sc, ch 60 for tie, sl st in 2nd ch from hook and in each
ch across, sl st in 3rd sc of corner], cont to sl st in each sc to 3rd sc of 2nd vneck corner; rep between []'s once, then sl st in each sc to end. Fasten off.

FINISHING

Block piece to measurements.

Cap sleeve edging

Position piece so neck opening is at your left. From RS, join yarn with a sl st in marked corner ch-2 sp of underarm. Rnd 1 Ch 6 (counts as 1 tr and ch 2), tr in same ch-2 sp, ch 1, sc in next sc, ch 1, *Fan in next ch-2 sp, ch 1, sc in next sc, ch 1; rep from *, end (tr, ch 2, tr, ch 2) in 2nd marked ch-2 corner sp. Tr Join to first marked ch-2 sp, ch 2, sc in 4th ch of ch-6. Rnd 2 Ch 2, hdc in same sp. Cont to work a Scallop in each ch-2 sp and each sc around. Join rnd with a sl st in first ch of ch-2. Fasten off. *

42

-

Sized for X-Small (Small, Medium, Large). Shown in size Medium on page 57.



MATERIALS

Cotton-Ease by Lion Brand Yarn Co., 34/20z/100g balls, each approx 207yd/190m (cotton/acrylic)

- 2 (3, 3, 4) balls in #107 candy blue
- Size H/8 (5mm) crochet hook OR SIZE TO OBTAIN GAUGE
- · Four safety pins, 2 each in gold and silver
- · Open ended stitch markers

FINISHED MEASUREMENTS

- Lower edge 36 (38, 40, 43)"/91.5 (96.5, 101.5, 109)cm
- Waist 28 (31, 34, 36)"/71 (78.5, 86.5, 91.5)cm
- Hips 32 (34, 36, 39)"/81 (86.5, 91.5, 99)cm
- Length 14 (14, 15, 16)"/35.5 (35.5, 38, 40.5)cm

GAUGE

8 sts to 3"/7.5cm and 14 rows to 4"/10cm over sc using size H/8 (5mm) hook. TAKE TIME TO CHECK YOUR GAUGE.

NOTES

- Skirt is worked in one piece from the waist down.
- 2) Skirt is worked back and forth in rows that are joined at RH side.

STITCH GLOSSARY

CF Center front. CB Center back. CR Center right. CL Center left. BP Back panel. FP Front panel. Scallop Work (sl st, ch 2, hdc) in same st.

SKIRT

Upper section

Beg at RH side of waist edge, ch 69 (73, 77, 81). Foundation row Sc in 2nd ch from hook and in each ch across—68 (72, 76, 80) sts. Taking care not to twist row, join with a sl st forming a ring.

Row 1 Ch 1, so in next 16 (17, 18, 19) sts, so in next st (mark this st with gold safety pin for CF), so in next 16 (17, 18, 19) sts, so (continued on page 100)